



Power Tools Catalogue 2017 / 2018

1st Edition July 2017



BOSCH

Invented for life

Contents

Heavy Duty	P3	Compound Mitre Saw	P18
Freedom Concept	P4 - 5	Mitre Saw Stand	P18
3.6 V Li-Ion	P6	Table Saw Stand	P18
10.8 V Li-Ion	P6	Mitre Saw	P18
12 V Li-Ion	P7 - 8	Foam Cutter	P18
14.4 V Li-Ion	P8	Planer	P19
18 V Li-Ion	P8 - 10	Orbital Sander	P19
36 V Li-Ion	P10 - 11	Eccentric Sander	P19
10.8 V / 12 V Battery Pack	P11	Belt Sander	P19
14.4 V Battery Pack	P11	Polisher	P19
18 V Battery Pack	P11	Blower	P19
36 V Battery Pack	P11	Hot Air Gun	P19
Charger	P11	Mini Router / Trimmer	P20
10.8 V / 12 V / 14.4 V / 18 V Starter Kit	P11	Wet & Dry Vacuum Cleaner	P20
L-BOXX	P11	Cordless Optical Scope	P20
Drill	P11 - 12	Laser Rangefinder	P20
Impact Drill	P12	Detector	P21
Multi-Cutter	P12 - 13	Thermo Detector	P21
Rotary Hammer	P13	Line Laser	P21
Magnetic Drill Stand	P13	Surface Laser	P21
Rotary Hammer with SDS-Max	P14	Electronic Line Laser	P22
Dust Extractor	P14	Point Laser	P22
Demolition Hammer	P14 - 15	Combi Laser	P22
Straight Grinder	P15	Optical Level	P22
Angle Grinder	P15 - 16	Rotation Laser Level	P22
Impact Wrench	P16	Angle Measurer	P22
Stirrer / Mixer Drill	P17	Digital Inclinator	P22
Shear	P17	Tripod	P22 - 23
Bench Grinder	P17	Laser Receiver	P23
Nibbler	P17	Measuring Rail	P23
Marble Cutter	P17	Telescopic Pole	P23
Diamond Wheel Cutter	P17	Optical Level Measuring Rod	P23
Circular Saw	P17	Universal Holder	P23
Sabre Saw	P17	High Pressure Washer (Suitable for Home Use)	P23 - 24
Jigsaw	P17 - 18	High Pressure Cleaner (Suitable for Industrial Use)	P24
Dry Cutter	P18	Bosch 110V Power Tools	P25
Cut off Machine	P18	Carbon Brush Guidelines	P26
Slide Mitre Saw	P18	Warranty	P27
Table Saw	P18		

**HEAVY
DUTY****1 year
warranty***All tools comes with
Full Warranty*!

Includes Wear & Tear Parts!

www.bosch-pt.com.sg**FREE** Repair Costs!!**BOSCH**

Invented for life

Bosch Heavy Duty Power Tools are entitled to **1 year Full Warranty**, excluding batteries and chargers which are entitled to 6 months warranty. Full Warranty is exclusively **available at Powerwell Service Centre only**.
Bosch reserves the right to amend the terms & conditions or withdraw the promotion at its sole discretion without prior notice.

HEAVY DUTY MODELS

GAS 10.8 V-LI (Bare Unit Only)	GDS 18 V-EC	GSH 5 CE
GAS 12 V-LI	GDS 18 V-LI	GSH 9 VC
GAS 18 V-LI (Bare Unit Only)	GDS 18 V-LI HT	GSR 10.8 V-EC
GAS 11-21	GDS 30	GSR 10.8-2-LI
GBG 6	GDX 18 V-EC	GSR 12 V-EC
GBG 8	GDX 18 V-LI (Bare Unit Only)	GSR 12-2-LI
GBG 35-15	GEX 125-1 AE	GSR 12-15 FC
GBG 60-20	GGG 18 V-LI (Bare Unit Only)	GSR 14.4-2-LI
GBH 18 V-EC	GGG 28 C	GSR 18 V-EC
GBH 2-23 REA	GGG 28 LC	GSR 36 VE-2-LI
GBH 2-24 RE / DRE	GGG 6 S	GSS 10.8 V-EC
GBH 2-26 DFR	GHO 10-82	GSS 18 V-LI (Bare Unit Only)
GBH 2-26 DRE	GKM 18 V-LI	GSS 280 AE
GBH 2-26 RE (also available in 110V)	GKS 10.8 V-LI (Bare Unit Only)	GSS 280 AVG
GBH 2-28 DFV	GKS 12 V-LI (Bare Unit Only)	GST 10.8 V-LI (Bare Unit Only)
GBH 3-28 DFR	GKS 18 V-LI (Bare Unit Only)	GST 12 V-LI (Bare Unit Only)
GBH 36 V-EC Compact	GMR 1	GST 18 V-LI (Bare Unit Only)
GBH 4-32 DFR (also available in 110V)	GNA 2.0	GST 25 M (also available in 110V)
GBH 5-40 D (also available in 110V)	GOP 10.8 V-LI	GST 80 PBE
GBH 8-45 D	GOP 12 V-LI	GTS 10 J
GBH 18V-26 (Bare unit only)	GOP 18 V-EC (Bare Unit Only)	GUS 10.8 V-LI (Bare Unit Only)
GBH 18V-26 + GDE 18V-16	GOP 12 CE	GWB 10.8 V-LI
GBL 18 V-120 (Bare Unit Only)	GOP 250 CE	GWI 10.8 V-LI
GBL 800 E	GOP 30-28	GWI 12 V-LI (Bare Unit Only)
GBM 10 RE	GRW 12 E	GWS 7-100
GBM 13 HRE 'High Torque'	GSA 10.8 V-LI	GWS 7-100 ET
GBM 13 RE	GSA 1100 E (also available in 110V)	GWS 7-100 T
GBM 13-2	GSA 12 V-LI (Bare Unit Only)	GWS 750-100
GBM 16-2 RE	GSA 1300 PCE	GWS 8-100 C
GBM 23-2 E	GSA 18V-32 (Bare Unit Only)	GWS 8-100 CE
GBM 32-4	GSA 36 V-LI	GWS 8-100 Z (also available in 110V)
GBS 75 A	GSB 13 RE	GWS 900-100
GCD 12 JL	GSB 14.4-2-LI	GWS 10.8-76 V-EC (Bare Unit Only)
GCM 10 M	GSB 16 RE (also available in 110V)	GWS 11-125 (also available in 110V)
GCM 10 MX	GSB 18 V-EC (Bare Unit Only)	GWS 12-125 CI
GCM 10 S	GSB 18-2-LI	GWS 13-125 CI
GCO 14-24 J	GSB 20-2	GWS 14-125 INOX
GCO 2000 (also available in 110V)	GSB 20-2 RE	GWS 15-125 CI
GDM 13-34 (also available in 110V)	GSB 21-2 RCT	GWS 15-125 INOX
GDR 10.8 V-EC	GSC 2.8	GWS 15-150 CI
GDR 10.8-LI	GSH 11 E	GWS 17-125
GDR 12 V-EC	GSH 11 VC	GWS 17-150
GDR 12-LI	GSH 16-30	GWS 18 V-LI
GDR 14.4 V-LI	GSH 27 VC	GWS 20-180 (also available in 110V)
GDS 18 E	GSH 5 (SDS MAX)	GWS 20-230

* Bosch Heavy Duty Power Tools are entitled to 1-year warranty, except for hot air guns, batteries and chargers which are entitled to 6-months warranty.



The **Freedom** Concept


The freedom concept provides the freedom to choose cordless tools, batteries, chargers, and carrying cases exactly according to your needs. You are now free to choose.



Bosch Lithium-Ion Cordless Tools Range

3,6 Volt	10,8 Volt	12 Volt
pocketseries	compactseries	compactseries
 GSR ProDrive  IXO 3 The World's smallest professional screwdriver Ready as ever. Better than ever	 GSR 1080-2-LI Set  GSB 1080-2-LI Set  GSR 10.8 V-EC Set  GDR 10.8 V-EC Set  GSA 10.8 V-LI Set  GOP 10.8 V-LI Set Extremely compact	 GSR 120-LI  GKS 12 V-LI  GOP 12 V-LI  GST 12 V-LI  GAS 12 V-LI  GDR 12-LI  GWI 12 V-LI  GSB 120  GDR 12 V-EC  GSA 12 V-LI  GSR 12-2-LI  GSR 12 V-EC
Battery Pack	 1.5 Ah  2.0 Ah	 12V, 2.0 Ah  12V, 2.5 Ah
Charger	 AL 1130 CV	 GAL 1230 CV (For 10.8V & 12V)
Starter Kit	 AL 1130 CV + 2 Battery Packs (2.0 Ah 10.8V)	 12V 1.5 Ah (2 Batteries) + GAL 1230 CV (1 Charger)
L-BOXX	 L-BOXX 102	 L-BOXX 102


INNOVATIVE BOSCH CORDLESS TECHNOLOGY



Kick Back Stop
detects sudden
movements and
stop tool rotation



ETP protects
your tool from
Rain & Dust




CHOOSE YOUR OWN COMBINATION



BARE TOOLS



BATTERIES



CHARGERS



L-BOXX

14,4 Volt

lightseries

robustseries



GDR 1440-LI Set



GSR 1440-LI Set



GSR 14.4-2-LI Set



GSB 14.4-2-LI Set



GDR 14.4 V-LI

Extremely lightweight

Extremely robust



1.5 Ah 2.0 Ah 4.0 Ah



AL 1860 CV



AL 1860 CV + 2 Battery Packs (2.0 Ah 14.4V)



L-BOXX 136

18 Volt

lightseries

robustseries



GSR 1800-LI Set



GSB 18-2-LI Set



GDS 18 V-LI HT



GSB 18 V-EC



GWS 18 V-LI



GKS 18 V-LI



GDX 18 V-LI



GSR 18 V-EC



GGS 18 V-LI



GST 18 V-LI



GDS 18 V-LI Set



GBH 18 V-EC Set



GSS 18 V-LI



GAS 18 V-LI

Extremely lightweight

Extremely robust



1.5 Ah 2.0 Ah 4.0 Ah 5.0 Ah 6.0 Ah



AL 1860 CV



AL 1860 CV + 2 Batteries (2.0 Ah 18V)



AL 1860 CV + 2 Batteries (4.0 Ah 18V)



AL 1860 CV + 2 Batteries (5.0 Ah 18V)



GAL 1830 CV + 1 Battery (2.0 Ah 18V)



L-BOXX 102



L-BOXX 136



L-BOXX 238



L-BOXX 306



L-BOXX 374

36 Volt

superseries



GBH 36 V-LI Set



GBH 36 V-EC Compact Set

As powerful as corded



2.0 Ah 4.0 Ah




AL 3680 CV



EMP protects the motor against overload and automatically shuts it down in case of stalling



2 X Lifetime
up to 30%
more runtime



ECP prevents your battery from deep discharge, overheating, overload




EC Brushless Motor
No brush sparking due to electrical switch by electronics




DC Motor
Brush sparking at every mechanical switch operation



IXO 3	6-\$71	GSR 3.6V-LI		GSR 3.6V-LI	3-\$86	GDR 10.8V-EC	1-\$237
IXO 3 Cordless Screwdriver   Capacity Max. Screw Dia. : 5 mm Max. Torque (Hard/Soft joint): 4 / 3 Nm No-load Speed : 0 - 180 rpm Battery Voltage : 3.6 V / 1.3 Ah Weight : 0.3 kg Spare Parts Charger 2 607 225 419	GSR 3,6 V-LI BitDrive Cordless Screwdriver   Capacity Max. Screw Dia. : 5 mm Max. Torque : 4.5 Nm No-load Speed : 210 rpm Battery Voltage : 3.6 V / 1.5 Ah Charging Time : 4 hours Weight : 0.5 kg	GSR 3.6 V-LI ProDrive Cordless Screwdriver   Capacity Max. Screw Dia. : 5 mm Max. Torque : 7 Nm No-load Speed : 0 - 250 rpm Battery Voltage : 3.6 V / 1.3 Ah Weight : 0.5 kg	GDR 10.8 V-EC Cordless Impact Driver   Capacity Tool Holder System: 1/4" Hex (6.35 mm) No-load Speed : 0 - 1,200 / 2,600 rpm Impact Rate : 0 - 2,700 / 3,100 bpm Max. Torque : 110 Nm Battery Voltage : 10.8 V / 2.0 Ah Weight : 0.95 kg Spare Parts Electronic Module 1 607 233 581 Brushless DC Motor 2 609 199 661				
GDS 10.8V-EC	6-\$237	GOP 10.8V-LI	3-\$314	GSA 10.8V-LI	3-\$233	GSB 1080-2-LI	1-\$187
GDS 10.8 V-EC Cordless Impact Wrench   Capacity Max. Torque (hard) : 115 Nm No-load Speed : 0 - 1,200 / 2,600 rpm Impact Rate : 0 - 1,600 bpm Battery Voltage : 10.8 V / 2.0 Ah Toolholder : 3/8" external square Weight : 0.95 kg Spare Parts Electronic Module 1 607 233 581 Brushless DC Motor 2 609 199 661	# GOP 10.8 V-LI Cordless Multi-Cutter   Capacity Oscillation angle on left / right : 1.4° No-load Speed : 5,000 - 20,000 rpm Battery Voltage : 10.8 V / 2.0 Ah Weight : 1.0 kg Spare Parts Screw 2 609 110 797 Motor 2 609 199 180	# GSA 10.8 V-LI Cordless Sabre Saw   Capacity Stroke speed : 0-3,000 min Stroke length : 14.5 mm Pipe diameter : 50 mm Wood : 65 mm Battery Voltage : 10.8 V / 2.0 Ah Weight : 1.2 kg Spare Parts Motor 1 619 P08 652 Electronic Module 1 619 P08 618	GSB 1080-2-LI Cordless Impact Drill Driver   Capacity Drilling Dia. In Steel : 6 mm In Wood : 19 mm In Masonry : 8 mm Max. Torque (Hard / Soft) : 28 / 11 Nm Max. Screw Dia. : 7 mm No-load Speed : 0 - 400 / 1,300 rpm Battery Voltage : 10.8 V / 1.5 Ah Weight : 1.1 kg Spare Parts Motor 1 600 A00 DM8 Electronic Module 2 609 125 169 Gear Box 1 600 A00 DM7				
GSR 1080-2-LI	1-\$105	GSR 10.8-2-LI	6-\$182	GSR 10.8V-EC	3-\$240	GWS 10.8-76V-EC	3-\$152
GSR 1080-2-LI Cordless Drill / Screwdriver   Capacity Drilling Dia. In Steel : 6 mm In Wood : 19 mm Max. Torque (Hard/Soft) : 28 / 11 Nm Max. Screw Dia. : 7 mm No-load Speed : 0 - 430 / 0 - 1,600 rpm Battery Voltage : 10.8 V / 1.5 Ah Weight : 1.0 kg Spare Parts Motor 2 609 199 258 Electronic Module 1 607 233 485 Gear Box 2 609 199 786 Chuck 2 609 110 967	GSR 10.8-2-LI Cordless Drill / Screwdriver   Capacity Drilling Dia. In Steel : 10 mm In Wood : 19 mm Max. Torque : 30 Nm No-load Speed : 0 - 350 / 1,300 rpm Battery Voltage : 10.8 V / 2.0 Ah Weight : 0.95 kg Spare Parts Motor 2 609 199 258 Electronic Module 1 607 233 485 Gear Box 2 609 199 786 Chuck 2 609 110 967	GSR 10.8 V-EC Cordless Drill / Screwdriver   Capacity Drilling Dia.: In Steel : 10 mm In Wood : 30 mm Max. Torque (hard/soft) : 20 / 18 Nm No-load Speed : 0 - 400 / 1,300 rpm Battery Voltage : 10.8 V / 2.0 Ah Clutch Settings : 20+1 Chuck Capacity : 10 mm Weight : 0.9 kg Spare Parts Electronic Module 1 607 233 568 Chuck 2 609 111 562	GWS 10.8-76 V-EC (Bare Unit Only) Cordless Angle Grinder   Capacity No-load Speed : 19,500 rpm Battery Voltage : 10.8 V Grinding Spindle Thread : M5 Bore Size, Diameter : 10 mm Weight : 0.9 kg				
Note: Items marked '#' are also available in Bare Unit (without battery and charger)							
GSB 120	15-\$131	GSR 120-LI	18-\$109	GKS 12V-LI	6-\$154	GOP 12V-LI	3-\$314
GSB 120 Cordless Impact Drill Driver   Capacity Drilling Dia. In Steel : 6 mm In Wood : 19 mm In Masonry : 8 mm Max. Torque (Hard / Soft joint): 28 / 11 Nm Max. Screw Dia. : 7 mm No-load Speed : 0 - 400 / 1,300 rpm Battery Voltage : 12 V / 1.5 Ah Weight : 1.1 kg Spare Parts Switch 2 609 125 169 Chuck 2 609 111 312	GSR 120-LI Cordless Drill / Screwdriver   Capacity Drilling Dia. In Steel : 10 mm In Wood : 20 mm Max. Torque (Hard / Soft joint): 30 / 13 Nm Max. Screw Dia. : 7 mm No-load Speed : 0 - 380 / 1,300 rpm Battery Voltage : 12 V / 1.5 Ah Weight : 1.0 kg Spare Parts Switch 2 609 125 169 Motor 2 609 199 258	GKS 12 V-LI (Bare Unit Only) Cordless Circular Saw   Capacity No-load Speed : 1,400 rpm Depth of Cut - 90° : 26.5 mm Bore Diameter : 15 mm Max. Bevel : 45° Weight : 1.4 kg Spare Parts Suction Nozzle 1 619 P11 537 Parallel-Guide 1 619 P11 536	GOP 12 V-LI Cordless Multi-Cutter   Capacity Oscillation angle on left / right : 1.4° No-load Speed : 5,000 - 20,000 rpm Battery Voltage : 12 V / 2.0 Ah Weight : 1.0 kg Spare Parts Screw 2 609 110 797 Motor 2 609 199 180				

GW1 10.8LI GW1 12 V-LI (Bare Unit Only) Cordless Angle Driver HEAVY DUTY   Capacity Drilling Dia.: In Steel : 8 mm In Wood : 10 mm Max. Torque : 13 / 5 Nm Max. Screw Dia. : 5 mm No-load Speed : 0 - 585 rpm Weight : 1.1 kg Spare Parts PC Board : 2 609 120 228 DC Motor : 2 609 199 131	6-\$303 GST 12V-LI GST 12 V-LI (Bare Unit Only) Cordless Jigsaw HEAVY DUTY   Capacity No-load Stroke Rate : 1,500 - 2,800 spm Stroke Length : 18 mm Cutting Capacity: - in Wood : 70 mm - in Aluminium : 3 mm - in Non-alloy Steel : 3 mm Weight : 1.5 kg Spare Parts Motor : 1 619 D10 586 Nozzle : 1 619 P10 585	6-\$143 GAS 12V-LI GAS 12 V-LI Cordless Vacuum Cleaner HEAVY DUTY   Capacity Filter Surface : 408 cm² Max. Airflow : 12 l/sec Max. Ventilating Pressure : 45 mbar Battery Voltage : 12 V Weight : 0.9 kg Spare Parts Filter : 1 600 A00 2PS Nozzle : 1 600 A00 2PP	1-\$82 GDR 120-LI GDR 120-LI Cordless Impact Driver   Capacity Max. Torque : 100 Nm No-load Speed : 0 - 1,300 / 2,600 rpm Rated Impact Rate : 2,800 - 3,300 bpm Bit Holder : 1/4" internal hexagon Battery Voltage : 12 V / 1.5 Ah Weight : 1.05 kg	1-\$149
GDR 12-LI GDR 12-LI Cordless Impact Driver HEAVY DUTY   Capacity Tool Holder System : 1/4" Hex (6.35mm) No-load Speed : 0 - 2,600 rpm Impact Rate : 0 - 3,100 bpm Max. Torque : 105 Nm Voltage : 12 V / 2.0 Ah Weight : 0.96 kg Spare Parts Motor : 2 609 199 281 Electronic Module : 1 607 233 378	3-\$198 GDR 12V-EC GDR 12 V-EC Cordless Impact Driver HEAVY DUTY   Capacity Tool Holder System : 1/4" Hex (6.35 mm) No-load Speed : 0 - 1,200 / 2,600 rpm Impact Rate : 0 - 2,700 / 3,100 bpm Max. Torque : 110 Nm Battery Voltage : 12 V / 2.0 Ah Weight : 0.95 kg Spare Parts Electronic Module : 1 607 233 581 Brushless DC Motor : 2 609 199 661	3-\$237 GSA 12V-LI GSA 12 V-LI (Bare Unit Only) Cordless Sabre Saw HEAVY DUTY   Capacity Stroke Speed : 0 - 3,000 min Stroke Length : 14.5 mm Pipe Diameter : 50 mm Wood : 65 mm Weight : 1.2 kg Spare Parts Motor : 1 619 P08 652 Electronic Module : 1 619 P08 618	3-\$146 GSR 12.2-LI GSR 12.2-LI Cordless Drill / Screwdriver HEAVY DUTY   Capacity Drilling Dia. In Steel : 10 mm In Wood : 19 mm Max. Torque : 30 Nm No-load Speed : 0 - 350 / 1,300 rpm Battery Voltage : 12 V / 2.0 Ah Weight : 0.95 kg Spare Parts Motor : 2 609 199 258 Electronic Module : 1 607 233 485 Gear Box : 2 609 199 786 Chuck : 2 609 110 967	6-\$152
Note: Items marked '*' are on Indent Order Basis. Items marked '#' are also available in Bare Unit (without battery and charger)				
GSR 12V-EC GSR 12 V-EC Cordless Drill / Screwdriver HEAVY DUTY   Capacity Drilling Dia.: In Steel : 10 mm In Wood : 30 mm Max. Torque (hard/soft) : 20 / 18 Nm No-load Speed : 0 - 400 / 1,300 rpm Battery Voltage : 12 V / 2.0 Ah Chuck Capacity : 10 mm Weight : 0.9 kg Spare Parts Electronic Module : 1 607 233 568 Motor : 2 609 199 654 Chuck : 2 609 111 562	3-\$240 GSR 12-15-FC GSR 12 -15 FC Cordless Drill / Driver HEAVY DUTY   Capacity Drilling Dia.: In Steel : 10 mm In Wood : 19 mm Max. Torque (hard/soft) : 30 / 15 Nm No-load Speed : 0 - 400 / 1,300 rpm Battery Voltage : 12 V / 2.0 Ah Chuck Capacity : 10 mm Weight : 0.6 kg Spare Parts Motor : 2 609 199 654 Chuck : 2 609 111 562	1-\$286 GDR 14.4V-LI GDR 14.4 V-LI Cordless Impact Driver HEAVY DUTY   Capacity Tool Holder System : 1/4" Hex (6.35 mm) No-load Speed : 0 - 2,800 rpm Impact Rate : 0 - 3,200 bpm Max. Torque : 150 Nm Battery Voltage : 14.4 V / 4.0 Ah Weight : 1.6 kg Spare Parts Carbon Brush : 2 609 199 169 Motor : 2 609 199 313	6-\$504 GDR 1440-LI GDR 1440-LI Cordless Impact Driver   Capacity Tool Holder System : 1/4" Hex (6.35 mm) No-load Speed : 0 - 2,900 rpm Impact Rate : 0 - 3,200 bpm Max. Torque : 130 Nm Battery Voltage : 14.4 V / 1.5 Ah Weight : 1.2 kg Spare Parts Motor : 2 609 199 419 Coupling Half : 2 609 199 319	15-\$194
GSR 14.4-2-LI GSR 14.4-2-LI Cordless Drill / Screwdriver HEAVY DUTY   Capacity Drilling Dia.: In Steel : 10 mm In Wood : 25 mm Max. Torque (Hard / Soft joint) : 38 / 16 Nm No-load Speed : 0 - 400 / 1,250 rpm Battery Voltage : 14.4 V / 2.0 Ah Weight : 1.3 kg Spare Parts Motor : 2 609 199 591 Electronic Module : 1 607 233 543 Gear Box : 2 609 199 786 Chuck : 2 609 111 562	6-\$246 GSR 1440-LI GSR 1440-LI Cordless Drill / Screwdriver   Capacity Drilling Dia.: In Steel : 10 mm In Wood : 25 mm Max. Torque (Hard / Soft joint) : 30 / 15 Nm Max. Screw Dia. : 7 mm No-load Speed : 0 - 420 / 1,400 rpm Battery Voltage : 14.4 V / 1.5 Ah Weight : 1.3 kg Spare Parts Motor : 2 609 199 378 Gear Box : 2 609 199 337 Switch : 2 609 199 475 Chuck : 1 619 Y00 824	18-\$173 GSR 1800-LI GSR 1800-LI Cordless Drill / Driver   Capacity Drilling Dia.: In Steel : 10 mm In Wood : 29 mm Max. torque (Hard/Soft joint) : 34 Nm No-load Speed : 0-400 / 1,300 rpm Battery Voltage : 18 V / 1.5 Ah Torque Settings : 25 Weight : 1.4 kg Spare Parts Motor : 2 609 120 395 Gear Box : 2 609 199 337 Switch : 2 609 199 464 Chuck : 1 619 Y00 824	24-\$187 GSR 180-LI GSR 180-LI Cordless Drill / Driver   Capacity Battery Voltage : 18 V / 1.5 Ah Chuck Capacity : 13 mm No-load Speed (1st gear) : 0 - 450 rpm (2nd gear) : 0 - 1,700 rpm Torque Settings : 20+1 Max Screw Dia. : 10 mm Max Drilling Wood / Steel : 35 / 10 mm Weight : 1.6 kg	1-\$193

GDS 18V-LI	15-\$517	GDS 18V-EC	6-\$517	GDS 18V-LI HT	3-\$977	GDX 18V-LI	6-\$209
GDS 18 V-LI Cordless Impact Wrench HEAVY DUTY 1 year warranty   Capacity Torque Max. : 180 Nm No-load Speed : 0 - 2,800 rpm Impact Rate : 0 - 3,200 bpm Screw Diameter : M6 - M16 Toolholder : 1/2" External Square Battery Voltage : 18 V / 2.6 Ah Weight : 1.7 kg Spare Parts Carbon Brush 2 609 195 169 Motor 2 609 199 313 Electronic Module 1 607 233 480		GDS 18 V-EC Cordless Impact Driver HEAVY DUTY 1 year warranty   Capacity Torque Max. : 185 Nm No-load Speed : 0 - 2,800 rpm Impact Rate : 0 - 3,200 bpm Screw Diameter : M6 - M16 Toolholder : 1/2" External Square Battery Voltage : 18 V / 4.0 Ah Weight : 1.6 kg Spare Parts Motor 2 609 199 548 Electronic Module 1 607 233 470		# GDS 18 V-LI HT Cordless Impact Wrench HEAVY DUTY 1 year warranty   Capacity Torque Max. : 650 Nm No-load Speed : 0 - 1,900 rpm Impact Rate : 0 - 2,100 bpm Screw Diameter : M12 - M20 Toolholder : 1/2" External Square Battery Voltage : 18 V Weight : 3.0 kg Spare Parts Motor 2 610 943 875 Coupling Half 2 610 943 880 Electronic Module 2 610 016 810		GDX 18 V-LI (Bare Unit Only) Cordless Impact Wrench/Driver HEAVY DUTY 1 year warranty   Capacity Tool Holder : Hex & Square No-load Speed : 0 - 2,800 rpm Impact Rate : 0 - 3,200 Max. Torque : 160 / 180 Nm Weight : 1.6 / 1.8 kg Spare Parts Carbon Brush 2 609 199 169 Motor 2 609 199 508 Electronic Module 1 607 233 480	
GDX 18V-EC	1-\$528	GKM 18V-LI	1-\$355	GKS 18V-LI	3-\$352	GOP 18V-EC	3-\$259
GDX 18 V-EC Cordless Impact Wrench Driver HEAVY DUTY 1 year warranty   Capacity Tool Holder : Hex & Square No-load Speed : 0-2,800 rpm Impact Rate : 0-3,200 bpm Max. Torque : 185 Nm Battery Voltage : 18 V / 4.0 Ah Weight : 1.7 kg Spare Parts Motor 2 609 199 548 Electronic Module 1 607 233 470		GKM 18 V-LI Cordless Metal Circular Saw HEAVY DUTY 1 year warranty   Capacity Blade Diameter : 136 mm Cutting depth (90°) : 51 mm Saw Blade Bore Dia. : 20 mm No-load Speed : 3,800 rpm Battery Voltage : 18 V / 4.0 Ah Weight : 2.9 kg Spare Parts Motor 2 610 034 087 Electronic Assembly 2 610 029 995		GKS 18 V-LI (Bare Unit Only) Cordless Circular Saw HEAVY DUTY 1 year warranty   Capacity Blade Diameter : 165 mm Max. Cutting Capacities at 90°: 51 mm 45°: 40 mm Saw Blade Bore Dia. : 20mm No-load Speed : 3,900 rpm Weight : 4.1 kg Spare Parts Pole Housing 1 615 100 008 Armature 1 619 P01 902 Carbon Brush 2 610 943 623		GOP 18 V-EC (Bare Unit Only) Cordless Multi-Cutter HEAVY DUTY 1 year warranty   Capacity Oscillation Angle : 2,8° Left / Right : 8,000 - 20,000 rpm Weight : 1.95 kg Spare Parts Electronic Module 2 609 199 490 Armature Assembly 2 609 199 680	
GOP 18V-28	1-\$259	GSA 18V-32	1-\$424	GSB 180-LI	1-\$209	GSB 18-2-LI	9-\$274
GOP 18 V-28 (Bare Unit Only) Cordless Multi-Cutter HEAVY DUTY 1 year warranty   Capacity Oscillation Angle : 1,4° Left / Right : 8,000 - 20,000 rpm Weight : 2.0 kg		GSA 18 V-32 (Bare Unit Only) Cordless Sabre Saw HEAVY DUTY 1 year warranty NEW!   Capacity Cutting Depth: In Metal : 175 mm In Wood : 230 mm No-load Stroke Rate : 0 / 2,500 min ⁻¹ Orbital Action : 0 - 1 - 2 Stroke length : 32 mm Weight : 3.5 kg Battery Voltage : 18 V		GSB 180-LI Cordless Impact Drill NEW!   Capacity Max Drilling Masonry : 10 mm Max Screw Diameter : 10 mm Max Drilling Steel / Wood : 10 mm / 35 mm Chuck Capacity : 13 mm Torque (Hard / Soft) : 54 / 21 Nm No-load Speed (1st gear) : 0 - 450 rpm (2nd gear) : 0 - 1,700 rpm Battery Voltage : 18 V / 1.5 Ah Weight : 1.6 kg		# GSB 18-2-LI Cordless Impact Drill HEAVY DUTY 1 year warranty   Capacity Drilling Dia.: In Steel : 10 mm In Wood : 29 mm In Masonry : 10 mm Max. Torque (Hard / Soft joint): 45 / 19 Nm No-load Speed : 0 - 500 / 1,450 rpm Battery Voltage : 18 V / 2.0 Ah Weight : 1.5 kg Spare Parts Motor 2 609 199 626 Electronic Module 1 607 233 544 Chuck 2 609 111 312	
GSB 18V-EC	1-\$197	GSR 18V-EC	3-\$341	GSS 18V-LI	1-\$93	GST 18V-LI	15-\$285
GSB 18 V-EC (Bare Unit Only) Cordless Impact Drill / Driver HEAVY DUTY 1 year warranty   Capacity Drilling Dia. In Steel / Wood : 13 / 38 mm In Masonry : 13 mm Max. Torque (hard/Soft) : 60 / 31 Nm No-load Speed : 0 - 600 / 1,900 rpm Chuck Capacity : 13 mm Torque Settings : 20+1 Max. Impact Rate : 25,500 bpm Weight : 1.5 kg Spare Parts Stator 1 619 P08 583 Rotor 2 609 199 671		# GSR 18 V-EC Cordless Drill / Driver HEAVY DUTY 1 year warranty   Capacity Drilling Dia. In Steel : 13 mm In Wood : 38 mm Max. Torque (Hard / Soft joint) : 60 / 31 Nm Chuck Capacity : 13 mm No-load Speed : 0 - 600 / 1,900 rpm Torque Settings : 20+1 Battery Voltage : 18 V / 2.0 Ah Spare Parts Stator 1 619 P08 583 Rotor 2 609 199 671		GSS 18 V-LI (Bare Unit Only) Orbital Sander HEAVY DUTY 1 year warranty   Capacity Stroke Length : 28 mm No-load Orbital Stroke Rate : 22,000 opm No-load Speed : 11,000 rpm Oscillating circuit Diameter : 1.6 mm Weight : 1.0 kg Spare Parts Plate 2 609 101 073 Felt 2 609 170 230 Spring 2 609 111 892		GST 18 V-LI (Bare Unit Only) Cordless Jigsaw HEAVY DUTY 1 year warranty   Capacity No-load Stroke Rate : 2700 spm Stroke Height : 23 mm Cutting Depth In Metal : 8 mm In Wood : 90 mm Slanted Cuts : 0 - 45° Weight Incl. Battery : 2.4 kg Spare Parts Lifting Rod 2 600 780 173 Base Plate 2 601 016 906 Roller Level 2 601 321 077	

Note: Items marked '#' are also available in Bare Unit (without battery and charger)

Note: Items marked '#' are also available in **Bare Unit** (without battery and charger)

GWS 18V-LI	3-\$208	GGG 18V-LI	6-\$264	GAS 18V-LI	3-\$85	GHO 18V-LI	1-\$660
------------	---------	------------	---------	------------	--------	------------	---------

# GWS 18 V-LI Cordless Angle Grinder HEAVY DUTY  Capacity No-load Speed : 10,000 rpm Roughing / Cutting Disc, Diameter : 100 mm Battery Voltage : 18 V / 3.0 Ah Weight : 2.3 kg Spare Parts Motor 1 617 000 6B0 Electronic Module 1 607 233 340 Switch 2 607 202 071	GGG 18 V-LI (Bare Unit Only) Cordless Straight Grinder HEAVY DUTY  Capacity No-load Speed : 2 - 22,000 rpm Weight : 1.8 kg Spare Parts Motor 1 617 000 6B0 Electronic Module 1 607 233 340	GAS 18 V-LI (Bare Unit Only) Cordless Vacuum Cleaner HEAVY DUTY  Capacity Dust Capacity : 700 ml Vacuum Max. : 4 kPa Airflow Max. : 19.3 l/sec Weight : 1.6 / 1.4 kg Spare Parts Floor Nozzle 1 619 PA5 202 Suction Tube 1 619 PA5 205 Filter 1 619 PA5 188 Dust Chamber 1 619 PA5 201	*GHO 18 V-LI Cordless Planer HEAVY DUTY  Capacity No-load Speed : 14,000 rpm Cutting Depth : 0 - 1.6 mm Rebating Depth : 0 - 8 mm Planing Width, Max. : 82 mm Battery Voltage : 18 V / 3.0 Ah Weight : 2.6 kg Spare Parts Belt 2 604 736 001 Motor 2 606 625 910
--	---	--	---

GBL 18V-120	1-\$94	GBH 18V-EC	6-\$583	GBH 18V-26		GBH 18V-26+	1-\$737
-------------	--------	------------	---------	------------	--	-------------	---------

GBL 18 V-120 (Bare Unit Only) Blower HEAVY DUTY  Capacity No-load Speed : 17,000 rpm Air Speed, Max : 75 m/s Air Volume : 2.0 m³/min Runtime : Speed I : 9 min / Ah Speed II : 5 min / Ah Weight without Cable : 1.1 kg Spare Parts Nozzle 1 619 PA9 087	GBH 18 V-EC Cordless Rotary Hammer HEAVY DUTY  Capacity In Concrete : 4 - 18 mm In Steel / Wood : 13 / 20 mm Rated Speed : 0 - 1,400 rpm Impact Rate : 0 - 4,550 bpm Battery Voltage : 18 V / 3.0 Ah Weight : 2.6 kg Spare Parts Protection Sleeve 1 617 000 6D3 Electronics Module 1 607 233 376 Hammer Piston 1 618 700 083 O-ring 1 610 210 244	GBH 18 V-26 (Bare Unit Only) Cordless Rotary Hammer HEAVY DUTY  Capacity In Concrete : 4 - 26 mm In Steel / Wood : 13 mm / 30 mm Rated Speed : 0 - 890 rpm Impact Rate : 0 - 4,350 bpm Impact Energy : 2.6 J Max. Drilling Ø Concrete : 26 mm Weight : 3.6 kg** Spare Parts Protection Sleeve 1 617 000 6D3 Electronics Module 1 607 233 376 Hammer Piston 1 618 700 083 O-ring 1 610 210 244	GBH 18 V-26 + GDE 18 V-16 Cordless Rotary Hammer + Dust Extractor NEW!  Capacity In Concrete : 4 - 26 mm In Steel / Wood : 13 mm / 30 mm Rated Speed : 0 - 890 rpm Impact Rate : 0 - 4,350 bpm Impact Energy : 2.6 J Max. Drilling Ø Concrete : 26 mm Battery Voltage : 18 V / 6.0 Ah Weight : 3.6 kg**
---	---	--	--

GBH 180LI	1-\$335	GSR 36VE-2-LI	1-\$819	GSA 36V-LI	12-\$770	GBH 36V-LI PLUS	1-\$1012
-----------	---------	---------------	---------	------------	----------	-----------------	----------

GBH 180 LI Set Cordless Rotary Hammer NEW!  Capacity Drilling Capacity : 20 mm No-load Speed : 0 - 1,800 rpm Impact Rate : 0 - 4,550 bpm Impact Energy : 1.7 J Mode : 3 Battery Voltage : 18 V / 3.0 Ah Weight : 2.6 kg	*GSR 36 VE-2-LI Cordless Drill Driver HEAVY DUTY  Capacity Max. Drilling Dia. In Wood : 102 mm In Steel : 16 mm Torque, Max (Hard/Soft) : 100 Nm No-load Speed : 0 - 420 / 1,800 rpm Max. Screw Diameter : 12 mm Battery Voltage : 36 V / 4.0 Ah Weight : 3.3 kg Spare Parts Motor 1 607 022 647 Electronics Module 1 607 233 511 Chuck 2 609 111 104	*GSA 36 V-LI Cordless Sabre Saw HEAVY DUTY  Capacity Stroke Length : 28 mm No-load Stroke Rate : 2,400 / 3,000 spm Battery Voltage : 36 V / 4.0 Ah Weight : 4.2 kg Spare Parts Tool Holder 2 610 920 684 Supporting Foot 2 610 935 005	GBH 36 V-LI Plus Cordless Rotary Hammer HEAVY DUTY  Capacity In Concrete : 4 - 28 mm In Steel / Wood : 13 / 30 mm No-load Speed : 0 - 940 rpm Impact Rate : 0 - 4,200 bpm Battery Voltage : 36 V / 4.0 Ah Weight : 4.5 kg Spare Parts Motor 1 607 022 662 Electronics Module 1 607 233 512 Tool Holder Fixture 1 617 000 6CB
---	--	--	--

Note: Items marked '*' are on **Indent Order Basis**. Items marked '#' are also available in **Bare Unit** (without battery and charger)

GBH 36V-EC COMPA	9-\$737	BATTERY 10.8V1.5A-\$33 12V2A-\$37 14.4V1.5A-\$44 2A-\$62 18V1.5A-\$52 2A-\$71 4A-\$106					
------------------	---------	--	--	--	--	--	--

GBH 36 V-EC Compact Cordless Rotary Hammer HEAVY DUTY  Capacity In Concrete : 4 - 18 mm In Steel : 13 mm In Wood : 30 mm Rated Speed : 0 - 1,500 rpm Impact Rate : 0 - 4,850 bpm Battery Voltage : 36 V / 2.0 Ah Weight : 2.9 kg Spare Parts Protection Sleeve 1 617 000 6D3 Electronics Module 1 607 233 316 Hammer Piston 1 618 700 083 O-ring 1 610 210 244	 10.8 V, 1.5 Ah	 10.8 V, 2.0 Ah	 1.5 Ah	 2.0 Ah	 4.0 Ah	 5.0 Ah	 6.0 Ah	 12 V, 2.0 Ah	 12 V, 2.5 Ah	 4.0 Ah
--	--	--	---	---	--	--	--	--	--	--

CHARGER 1130-\$31 1230-\$31 1860-\$43

KIT 10.8V2A-\$103 12V1.5A-\$97 14.4V2A-\$165 18V2A-\$182 4A-\$251



L-BOX 102-\$43 136-\$46 238-\$57 306-\$71 374-\$75

GBM 10RE

15-\$75

GBM 13RE

9-\$110



GBM 10 RE

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 450 W
In Steel	: 10 mm
In Aluminium	: 10 mm
In Wood	: 25 mm
No-load Speed	: 0 - 2,600 rpm
Weight	: 1.3 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Chuck	2 608 571 078

GBM 13 RE

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 600 W
In Steel	: 13 mm
In Aluminium	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0 - 2,600 rpm
Weight	: 1.65 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Chuck	2 608 572 253

Note: Items marked '*' are on Indent Order Basis.

GBM 13-2

6-\$202

GBM 13HRE

3-\$281

GBM 16-2RE

3-\$578

GBM 23-2E

3-\$924

*GBM 13-2

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 550 W
In Steel	: 13 / 8 mm
In Wood	: 32 / 20 mm
No-load Speed Hi	: 1,900 rpm
Lo	: 1,000 rpm
Weight	: 1.9 kg

Spare Parts

Carbon Brush	1 607 031 222
--------------	---------------

GBM 13 HRE "High Torque"

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 550 W
In Steel	: 13 mm
In Aluminium	: 20 mm
In Wood	: 40 mm
No-load Speed	: 0 - 550 rpm
Torque	: 40 Nm
Weight	: 2.1 kg

Spare Parts

Carbon Brush	1 607 031 222
Switch	2 607 200 920
Chuck	2 608 572 253

*GBM 16-2 RE

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 1,050 W
In Steel	: 16 / 8 mm
In Wood	: 20 / 13 mm
No-load Speed Hi	: 0 - 1,200 rpm
Lo	: 0 - 520 rpm
Weight	: 3.7 kg

Spare Parts

Carbon Brush	3 607 014 012
Switch	1 607 200 075

*GBM 23-2 E

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 1,150 W
In Steel	: 23 / 13 mm
In Wood	: 50 / 35 mm
No-load Speed Hi	: 0 - 640 rpm
Lo	: 0 - 280 rpm
Weight	: 4.6 kg

Spare Parts

Carbon Brush	3 607 014 012
Switch	1 607 200 075

GBM 32-4

1-\$935

GBM 350

1-\$50

GSB 10RE

27-\$83

GSB 13RE

12-\$114

*GBM 32-4

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 1,500 W
In Steel	: 32 mm
In Aluminium	: 50 / 70 mm
4 Speed	: 210 / 330 / 470 / 740 rpm
Weight	: 7.3 kg

GBM 350

5 year warranty



Capacity	
Power Input	: 350 W
In Steel	: 10 mm
In Aluminium	: 13 mm
In Wood	: 20 mm
No-load Speed	: 0 - 2,800 rpm
Weight	: 1.2 kg

Spare Parts

Carbon Brush	1 619 P20 086
Switch	2 607 200 623
Chuck	2 608 571 078

GSB 10 RE (Also Available in 110V)

5 year warranty



Capacity	
Power Input	: 500 W
In Masonry	: 10 mm
In Steel	: 8 mm
In Wood	: 20 mm
No-load Speed	: 0 - 2,600 rpm
Weight	: 1.5 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Armature	2 609 120 232
Coil	2 604 220 718
Chuck	2 608 571 078

GSB 13 RE

HEAVY DUTY
1 year warranty

Capacity	
Power Input	: 650 W
In Concrete	: 13 mm
In Steel	: 10 mm
In Wood (hard)	: 20 mm
No-load Speed	: 0 - 3,150 rpm
Impact Rate	: 0 - 47,000 bpm
Weight	: 1.6 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Chuck	2 608 572 253

GBH 5-40D	3-\$611	GBH 8-45D	6-\$990	GDE 68	1-\$36	GDE 162	1-\$47
GBH 5-40 D (Also Available in 110V) HEAVY DUTY 1 year warranty   Capacity Power Input : 1,100 W Rate Speed : 170 - 340 rpm Impact Energy : 8.5 J Chisel Positions : 12 Impact Rate : 1,500 - 2,900 bpm Weight : 6.8 kg Spare Parts Carbon Brush 1 617 014 138 Hammer Piston 1 619 P10 765 Armature 1 619 P10 769 Coil 1 619 P08 323	*GBH 8-45 D (Also Available in 110V) HEAVY DUTY 1 year warranty   Capacity Power Input : 1,500 W Impact Energy : 12.5 J No-load Speed : 0 - 305 rpm Impact Rate : 1,380 - 2,720 bpm Weight : 8.2 kg Spare Parts Carbon Brush 1 617 000 A50 Armature 1 614 010 267 Coil 1 614 220 124	*GDE 68  Capacity Drilling Diameter : max. 68 mm Weight incl. Battery : 0.325 kg Suitable for all drilling tools, e.g. GBH 4-32 DFR, GBH 5-40 DCE, GBH 8-45 DV Spare Parts Sealing Profile 1 600 A00 1MJ Brush Bar 1 600 A00 1MK	*GDE 162  Capacity Drilling Diameter : max. 162 mm Weight incl. Battery : 0.5 kg Suitable for all drilling tools, e.g. GBH 4-32 DFR, GBH 5-40 DCE, GBH 8-45 DV Spare Parts Sealing Profile 1 600 A00 1MJ Brush Bar 1 600 A00 1NT				
GDE 16	1-\$76	GDE MAX	1-\$175	GSH 5	6-\$402	GSH 5X PLUS	3-\$292
*GDE 16  Capacity Drilling Diameter : max. 16 mm Maximum drilling depth : 120 mm Weight incl. Battery : 0.520 kg Suitable for GSB 16 RE, GSB 19-2 RE, GSB 21-2 RE, GSB 21-2 RCT Spare Parts Socket Pipe 1 600 A00 1PZ Elbow 1 600 A00 1JN	*GDE Max  Capacity Weight incl. Battery : 0.750 kg Suitable for GSH 5 CE, GSH 7 VC, GSH 11 VC; GBH 5-40 DCE, GBH 7-46 DE, GBH 8-45 DV, GBH 11 DE Spare Parts V-Block 1 600 A00 1W1 Index Turning Toolholder 1 600 A00 1R9 Brush Bar 1 600 A00 1LX	GSH 5 (SDS MAX) HEAVY DUTY 1 year warranty   Capacity Power Input : 1,100 W Impact rate : 2,850 bpm Impact Energy : 7.5 J No-load Speed : 27,000 rpm Weight : 5.6 kg Spare Parts Carbon Brush 1 617 014 138 Hammer Piston 1 619 P07 775 Armature 1 619 P10 090 Coil 1 619 P05 386	GSH 5X Plus (Also Available in 110V)    Capacity Power Input : 1,025 W Impact rate : 2,750 bpm Impact Energy : 6.8 J Tool holder : Hex (17 mm) Voltage : 240 V Frequency : 50 / 60 Hz Weight : 5.5 kg Spare Parts Carbon Brush 1 617 014 138 Hammer Piston 1 619 P09 703 Switch 1 619 P09 019 Armature 1 619 P09 697 Coil 1 619 P08 302				
GSH 5CE	3-\$578	GSH 9VC	1-\$902	GSH 11E	12-\$792	GSH 11VC	1-\$1166
GSH 5 CE (*Also Available in 110V) HEAVY DUTY 1 year warranty   Capacity Power Input : 1,150 W Impact rate : 1,300 - 2,900 bpm Impact Force : 2 - 13 J Weight : 6.2 kg Spare Parts Carbon Brush 1 617 014 138 Armature 1 614 011 098 Stopping Device 1 612 300 036 Indexing Disk 1 610 290 076 Hammer Piston 1 617 000 A00	GSH 9 VC HEAVY DUTY 1 year warranty   Capacity Power Input : 1,500 W Impact Force : 13 J Vibration Value : 9.5 m/s ² Weight : 8.5 kg Spare Parts Carbon Brush 1 617 000 A50 Armature 1 614 010 267 Coil 1 614 220 124	GSH 11 E HEAVY DUTY 1 year warranty   Capacity Power Input : 1,500 W Impact rate : 900 - 1,890 bpm Impact Force : 6 - 25 J Weight : 10.1 kg Spare Parts Carbon Brush 1 617 014 126 Switch 1 617 200 048 Armature 1 614 011 072 Coil 1 607 000 C3V	GSH 11 VC HEAVY DUTY 1 year warranty   Capacity Power Input : 1,700 W Impact Rate : 900-1,700 bpm Impact Force : 23 J Vibration Values Chiselling : 8 m/s ² Voltage : 230 / 240 V Frequency : 50 / 60 Hz Weight : 11.4 kg Spare Parts Carbon Brush 1 617 000 A50 Armature 1 614 011 120 Coil 1 604 220 52F				
Note: Items marked '*' are on Indent Order Basis							
GSH 16-30	3-\$1461	GSH 27VC	1-\$2310	GGs 3000L	6-\$149	GGs 5000L	48-\$180
GSH 16-30 HEAVY DUTY 1 year warranty   Capacity Power Input : 1,750 W Impact rate : 1,300 bpm Impact Force : 45 J Weight : 16.5 kg Spare Parts Carbon Brush 1 617 014 126 Hammer Piston 1 607 000 C3M Armature 1 614 011 117 Switch 1 607 200 244 Coil 1 614 270 187	GSH 27 VC HEAVY DUTY 1 year warranty   Capacity Power Input : 2,000 W Impact rate : 1,000 bpm Impact Force : 69 J Weight : 29.5 kg Spare Parts Carbon Brush 1 617 000 425 Armature 1 614 011 139 Switch 1 617 200 124	GGs 3000 L    Capacity Power Input : 300 W Collet : 6 mm Diameter (L x H x W) : 360 x 80 x 80 mm No-load Speed : 28,000 rpm Voltage : 240 V Frequency : 50 / 60 Hz Weight : 1.8 kg Spare Parts Carbon Brush 1 607 031 223 Armature 1 619 P08 203 Switch 1 607 200 146 Coil 1 619 P09 835	GGs 5000 L    Capacity Power Input : 500 W No-load Speed : 33,000 rpm Max. Collect Capacity : 8 mm Diameter (L x H x W) : 360 x 80 x 80 mm Voltage : 240 V Frequency : 50 / 60 Hz Weight : 1.4 kg Spare Parts Carbon Brush 1 607 031 223 Armature 1 619 P08 212 Switch 1 607 014 146 Coil 1 619 P09 888				

GG5 28C	12-\$192	GG5 28LC	12-\$292	GG5 6S	3-\$592	GWS 060	15-\$51
---------	----------	----------	----------	--------	---------	---------	---------

GG5 28 C

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 650 W
Max.Collet Diameter	: 8 mm
No-load Speed	: 28,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.4 kg

Spare Parts

Carbon Brush	1 607 014 176
Armature	3 607 030 476
Switch	1 607 200 199
Coil	3 607 030 475

*GG5 28 LC (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 650 W
Max.Collet Diameter	: 8 mm
No-load Speed	: 28,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.6 kg

Spare Parts

Carbon Brush	1 607 014 176
Armature	3 607 030 476
Switch	1 607 200 199
Coil	3 607 030 475

*GG5 6 S

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,200 W
Grinding Points (Diameter)	: Max. 125 m
No-load Speed	: 6,800 rpm
Weight	: 3.9 kg

Spare Parts

Carbon Brush	3 607 014 012
Armature	1 604 010 474
Switch	1 607 200 064

GWS 060

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 670 W
No-load Speed	: 12,000 rpm
Spindle	: M10 / M14
Disc Dia.	: 100 / 115 mm
Weight	: 1.6 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 619 P01 844
Switch	1 607 200 32E
Coil	1 619 P12 316

GWS 6-100

GWS 6-100 (Available in 110V only)

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 670 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 604 010 626
Switch	1 607 200 179
Coil	1 604 220 328

GWS 750-100

GWS 750-100

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 750 W
No-load Speed	: 11,000 rpm
Disc Diameter	: 100 mm
Grip Size	: 59/54.5 mm
Perimeter	: 187 mm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 619 P08 234
Coil	1 619 P08 334

GWS 8-100C

GWS 8-100 C

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 850 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 604 010 667
Switch	1 607 200 179
Governor	1 607 233 139

GWS 8-100CE

GWS 8-100 CE

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 850 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Dia.	: 70 mm
No-load Speed	: 2,800 - 11,000 rpm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 604 010 667
Switch	1 607 200 179
Governor	1 607 233 137

Note: Items marked '**' are on Indent Order Basis.

GWS 900-100

1-\$94

GWS 8-100Z

33-\$103

GWS 12-125CI

21-\$160

GWS 13-125CI

3-\$160

GWS 900-100

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
No-load Speed	: 10,000 rpm
Grinding Spindle Thread	: M 10
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
--------------	---------------

GWS 8-100 Z (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 800 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.9 kg

Spare Parts

Carbon Brush	1 607 014 176
Switch	1 619 P09 841
Armature	1 604 010 635 (110v)
Coil	1604 220 306 (110v)

GWS 12-125 CI (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,200 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.3 kg

Spare Parts

Carbon Brush	1 607 000 V37
Armature	1 607 000 V33
Bearing Flange	1 607 000 448
Governor	1 607 233 472

GWS 13-125 CI

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,300 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.3 kg

Spare Parts

Carbon Brush	1 607 000 V37
Bearing Flange	1 607 000 448
Gear Sets	1 607 000 V44

GWS 12-125INOX

6-\$164

GS 15-125CI

15-\$161

GWS 17-125CI

1-\$161

GWS 17-150CI

21-\$204

*GWS 15-125 INOX

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,500 W
Grinding / Cutting	
Disc Diameter	: 125 mm
Wire Cup Brush Dia.	: 70 mm
No-load Speed	: 2,000 - 8,000 rpm
Weight	: 2.4 kg

Spare Parts

Carbon Brush	1 607 014 176
Armature	1 604 010 A23
Switch	1 607 200 200

*GWS 15-125 CI

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,500 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.4 kg

Spare Parts

Carbon Brush	1 607 000 V37
Armature	1 607 000 V35
Coil	1 604 220 532
Switch	1 607 200 256

GWS 17-125 CI

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,700 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.4 kg

Spare Parts

Carbon Brush	1 607 000 V37
Bearing Flange	1 607 000 448
Gear Sets	1 600 A00 22W

GWS 17-150 CI

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,700 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 150 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.4 kg

Spare Parts

Carbon Brush	1 607 000 V37
Bearing Flange	1 607 000 449
Gear Sets	1 607 000 A4P

GST 25M	1-\$264	GCD 12JL	3-\$583	GCO 200	15-\$180	GCO 2000																													
GST 25 M (Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 670 W In Wood : 80 mm In Aluminium : 25 mm In Steel : 15 mm No-load Stroke Rate : 500 - 2,600 rpm Weight : 2.7 kg Spare Parts Carbon Brush 1 607 031 228 Base Plate 1 619 P07 199 Roller Level 1 619 P07 318 GCD 12 JL HEAVY DUTY  1 year warranty  Capacity Power Input : 2,000 W Saw Blade Diameter : 305 mm Mitre Angles : 0° - 45° No-load Speed : 1,500 rpm Cutting Capacity (Square) : 100 X 100 mm (Round) : 115 mm Weight : 20 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B04 679 Coil 1 609 B00 115 Switch 1 609 B05 400 GCO 200    Capacity Power Input : 2000 W No-load Speed : 3,800 rpm Disc Diameter : 355 mm Blade Bore Size : 25.4 mm Weight : 17 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B03 639 Coil 1 609 B00 135 Switch 1 609 B03 606 GCO 2000 (Available in 110V Only) HEAVY DUTY  1 year warranty  Capacity Power Input : 2,000 W Blade Diameter : 355 mm Max. Cutting Capacities at 90° : 120 mm No-load Speed : 3,500 rpm Weight : 15.8 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B03 566 Coil 1 609 B00 129 Switch 1 619 P03 844 <tr><td>GCO 14-24</td><td>1-\$218</td><td>GCM 10S</td><td>3-\$913</td><td>GTS 10J</td><td>1-\$638</td><td>GCM 10M</td><td>3-\$406</td></tr> <tr><td> GCO 14-24 J (Soft Start) HEAVY DUTY  1 year warranty   Capacity Power Input : 2,400 W Saw Blade Diameter : 355 mm Saw Blade Bore : 25.4 mm No-load Speed : 3,800 rpm Voltage : 230 / 240 V Weight : 18.1 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B03 639 Coil 1 609 B00 149 GCM 10 S HEAVY DUTY  1 year warranty  Capacity Power Input : 1,800 W Blade Size : 254 mm Bore Size : 30 mm No-load Speed : 4,700 rpm Max. Mitre : 52° L / 62° R Cutting Capacity : 87 X 305 mm Weight : 21.5 kg Spare Parts Carbon Brush 1 609 203 L02 Armature 1 619 P03 776 Coil 1 609 203 J56 GTS 10 J HEAVY DUTY  1 year warranty        Capacity Power Input : 1,800 W Saw Blade Diameter : 254 mm Bevel Setting : 47° L / 2° R Cutting Capacity (Right) : 460 (Left) : 210 Weight : 26 kg Spare Parts Carbon Brush 2 610 018 332 Coil 1 609 203 K86 Armature 1 619 P03 278 Switch 2 610 016 997 GCM 10 M HEAVY DUTY  1 year warranty  Capacity Power Input : 2,000 W Blade Size : 254 mm Bore Size : 25.4 mm No-load Speed : 5,000 rpm Max. Mitre : 47° L / 47° R Weight : 13.8 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B00 879 Coil 1 609 B00 119 Switch 1 609 B00 882 <tr><td>T1B</td><td>1-\$187</td><td>GTA 600</td><td>1-\$79</td><td>GCM 10MX</td><td>3-\$370</td><td>GSG 300</td><td>1-\$663</td></tr><tr><td> *T1B   Capacity Length of work bench without extension : 1,220 mm Length of work bench with extension : 2,630 mm Weight : 17 / 22 kg GTA 600 (0 601 B22 002)   Capacity Table Height : 602 mm Max. Length Extension : 450 x 520 (D x L) Max. Load Capacity : 60 kg Weight : 6.3 kg GCM 10 MX HEAVY DUTY  1 year warranty  Capacity Power Input : 1,700 W Blade Size : 255 mm Arbour Size : 25.4 mm No-load Speed : 4,800 rpm Max Mitre : 45° L / 52° R Max. Cutting Capacity : 89 x 89 mm Weight : 13.5 kg Spare Parts Carbon Brush 1 619 PA7 057 Armature 1 619 PA7 056 Coil 1 619 PA6 835 GSG 300   Capacity Power Input : 350 W Cutting Capacity : 300 mm No-load Stroke Rate : 3,200 spm Weight : 1.6 kg Spare Parts Carbon Brush 1 607 014 17J Base Plate 2 608 000 908 Switch 2 607 200 286 <tr><td colspan="8">Note: Items marked '*' are on Indent Order Basis</td></tr><tr><td>GHO 10-82</td><td>3-\$179</td><td>GHO 6500</td><td>9-\$143</td><td>GSS 1400</td><td>6-\$79</td><td>GSS 230</td><td>15-\$106</td></tr><tr><td> GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403 </td></tr></td></tr></td></tr>	GCO 14-24	1-\$218	GCM 10S	3-\$913	GTS 10J	1-\$638	GCM 10M	3-\$406	GCO 14-24 J (Soft Start) HEAVY DUTY  1 year warranty   Capacity Power Input : 2,400 W Saw Blade Diameter : 355 mm Saw Blade Bore : 25.4 mm No-load Speed : 3,800 rpm Voltage : 230 / 240 V Weight : 18.1 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B03 639 Coil 1 609 B00 149 GCM 10 S HEAVY DUTY  1 year warranty  Capacity Power Input : 1,800 W Blade Size : 254 mm Bore Size : 30 mm No-load Speed : 4,700 rpm Max. Mitre : 52° L / 62° R Cutting Capacity : 87 X 305 mm Weight : 21.5 kg Spare Parts Carbon Brush 1 609 203 L02 Armature 1 619 P03 776 Coil 1 609 203 J56 GTS 10 J HEAVY DUTY  1 year warranty        Capacity Power Input : 1,800 W Saw Blade Diameter : 254 mm Bevel Setting : 47° L / 2° R Cutting Capacity (Right) : 460 (Left) : 210 Weight : 26 kg Spare Parts Carbon Brush 2 610 018 332 Coil 1 609 203 K86 Armature 1 619 P03 278 Switch 2 610 016 997 GCM 10 M HEAVY DUTY  1 year warranty  Capacity Power Input : 2,000 W Blade Size : 254 mm Bore Size : 25.4 mm No-load Speed : 5,000 rpm Max. Mitre : 47° L / 47° R Weight : 13.8 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B00 879 Coil 1 609 B00 119 Switch 1 609 B00 882 <tr><td>T1B</td><td>1-\$187</td><td>GTA 600</td><td>1-\$79</td><td>GCM 10MX</td><td>3-\$370</td><td>GSG 300</td><td>1-\$663</td></tr> <tr><td> *T1B   Capacity Length of work bench without extension : 1,220 mm Length of work bench with extension : 2,630 mm Weight : 17 / 22 kg GTA 600 (0 601 B22 002)   Capacity Table Height : 602 mm Max. Length Extension : 450 x 520 (D x L) Max. Load Capacity : 60 kg Weight : 6.3 kg GCM 10 MX HEAVY DUTY  1 year warranty  Capacity Power Input : 1,700 W Blade Size : 255 mm Arbour Size : 25.4 mm No-load Speed : 4,800 rpm Max Mitre : 45° L / 52° R Max. Cutting Capacity : 89 x 89 mm Weight : 13.5 kg Spare Parts Carbon Brush 1 619 PA7 057 Armature 1 619 PA7 056 Coil 1 619 PA6 835 GSG 300   Capacity Power Input : 350 W Cutting Capacity : 300 mm No-load Stroke Rate : 3,200 spm Weight : 1.6 kg Spare Parts Carbon Brush 1 607 014 17J Base Plate 2 608 000 908 Switch 2 607 200 286 <tr><td colspan="8">Note: Items marked '*' are on Indent Order Basis</td></tr><tr><td>GHO 10-82</td><td>3-\$179</td><td>GHO 6500</td><td>9-\$143</td><td>GSS 1400</td><td>6-\$79</td><td>GSS 230</td><td>15-\$106</td></tr><tr><td> GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403 </td></tr></td></tr>	T1B	1-\$187	GTA 600	1-\$79	GCM 10MX	3-\$370	GSG 300	1-\$663	*T1B   Capacity Length of work bench without extension : 1,220 mm Length of work bench with extension : 2,630 mm Weight : 17 / 22 kg GTA 600 (0 601 B22 002)   Capacity Table Height : 602 mm Max. Length Extension : 450 x 520 (D x L) Max. Load Capacity : 60 kg Weight : 6.3 kg GCM 10 MX HEAVY DUTY  1 year warranty  Capacity Power Input : 1,700 W Blade Size : 255 mm Arbour Size : 25.4 mm No-load Speed : 4,800 rpm Max Mitre : 45° L / 52° R Max. Cutting Capacity : 89 x 89 mm Weight : 13.5 kg Spare Parts Carbon Brush 1 619 PA7 057 Armature 1 619 PA7 056 Coil 1 619 PA6 835 GSG 300   Capacity Power Input : 350 W Cutting Capacity : 300 mm No-load Stroke Rate : 3,200 spm Weight : 1.6 kg Spare Parts Carbon Brush 1 607 014 17J Base Plate 2 608 000 908 Switch 2 607 200 286 <tr><td colspan="8">Note: Items marked '*' are on Indent Order Basis</td></tr> <tr><td>GHO 10-82</td><td>3-\$179</td><td>GHO 6500</td><td>9-\$143</td><td>GSS 1400</td><td>6-\$79</td><td>GSS 230</td><td>15-\$106</td></tr> <tr><td> GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403 </td></tr>	Note: Items marked '*' are on Indent Order Basis								GHO 10-82	3-\$179	GHO 6500	9-\$143	GSS 1400	6-\$79	GSS 230	15-\$106	GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403
GCO 14-24	1-\$218	GCM 10S	3-\$913	GTS 10J	1-\$638	GCM 10M	3-\$406																												
GCO 14-24 J (Soft Start) HEAVY DUTY  1 year warranty   Capacity Power Input : 2,400 W Saw Blade Diameter : 355 mm Saw Blade Bore : 25.4 mm No-load Speed : 3,800 rpm Voltage : 230 / 240 V Weight : 18.1 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B03 639 Coil 1 609 B00 149 GCM 10 S HEAVY DUTY  1 year warranty  Capacity Power Input : 1,800 W Blade Size : 254 mm Bore Size : 30 mm No-load Speed : 4,700 rpm Max. Mitre : 52° L / 62° R Cutting Capacity : 87 X 305 mm Weight : 21.5 kg Spare Parts Carbon Brush 1 609 203 L02 Armature 1 619 P03 776 Coil 1 609 203 J56 GTS 10 J HEAVY DUTY  1 year warranty        Capacity Power Input : 1,800 W Saw Blade Diameter : 254 mm Bevel Setting : 47° L / 2° R Cutting Capacity (Right) : 460 (Left) : 210 Weight : 26 kg Spare Parts Carbon Brush 2 610 018 332 Coil 1 609 203 K86 Armature 1 619 P03 278 Switch 2 610 016 997 GCM 10 M HEAVY DUTY  1 year warranty  Capacity Power Input : 2,000 W Blade Size : 254 mm Bore Size : 25.4 mm No-load Speed : 5,000 rpm Max. Mitre : 47° L / 47° R Weight : 13.8 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B00 879 Coil 1 609 B00 119 Switch 1 609 B00 882 <tr><td>T1B</td><td>1-\$187</td><td>GTA 600</td><td>1-\$79</td><td>GCM 10MX</td><td>3-\$370</td><td>GSG 300</td><td>1-\$663</td></tr> <tr><td> *T1B   Capacity Length of work bench without extension : 1,220 mm Length of work bench with extension : 2,630 mm Weight : 17 / 22 kg GTA 600 (0 601 B22 002)   Capacity Table Height : 602 mm Max. Length Extension : 450 x 520 (D x L) Max. Load Capacity : 60 kg Weight : 6.3 kg GCM 10 MX HEAVY DUTY  1 year warranty  Capacity Power Input : 1,700 W Blade Size : 255 mm Arbour Size : 25.4 mm No-load Speed : 4,800 rpm Max Mitre : 45° L / 52° R Max. Cutting Capacity : 89 x 89 mm Weight : 13.5 kg Spare Parts Carbon Brush 1 619 PA7 057 Armature 1 619 PA7 056 Coil 1 619 PA6 835 GSG 300   Capacity Power Input : 350 W Cutting Capacity : 300 mm No-load Stroke Rate : 3,200 spm Weight : 1.6 kg Spare Parts Carbon Brush 1 607 014 17J Base Plate 2 608 000 908 Switch 2 607 200 286 <tr><td colspan="8">Note: Items marked '*' are on Indent Order Basis</td></tr><tr><td>GHO 10-82</td><td>3-\$179</td><td>GHO 6500</td><td>9-\$143</td><td>GSS 1400</td><td>6-\$79</td><td>GSS 230</td><td>15-\$106</td></tr><tr><td> GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403 </td></tr></td></tr>	T1B	1-\$187	GTA 600	1-\$79	GCM 10MX	3-\$370	GSG 300	1-\$663	*T1B   Capacity Length of work bench without extension : 1,220 mm Length of work bench with extension : 2,630 mm Weight : 17 / 22 kg GTA 600 (0 601 B22 002)   Capacity Table Height : 602 mm Max. Length Extension : 450 x 520 (D x L) Max. Load Capacity : 60 kg Weight : 6.3 kg GCM 10 MX HEAVY DUTY  1 year warranty  Capacity Power Input : 1,700 W Blade Size : 255 mm Arbour Size : 25.4 mm No-load Speed : 4,800 rpm Max Mitre : 45° L / 52° R Max. Cutting Capacity : 89 x 89 mm Weight : 13.5 kg Spare Parts Carbon Brush 1 619 PA7 057 Armature 1 619 PA7 056 Coil 1 619 PA6 835 GSG 300   Capacity Power Input : 350 W Cutting Capacity : 300 mm No-load Stroke Rate : 3,200 spm Weight : 1.6 kg Spare Parts Carbon Brush 1 607 014 17J Base Plate 2 608 000 908 Switch 2 607 200 286 <tr><td colspan="8">Note: Items marked '*' are on Indent Order Basis</td></tr> <tr><td>GHO 10-82</td><td>3-\$179</td><td>GHO 6500</td><td>9-\$143</td><td>GSS 1400</td><td>6-\$79</td><td>GSS 230</td><td>15-\$106</td></tr> <tr><td> GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403 </td></tr>	Note: Items marked '*' are on Indent Order Basis								GHO 10-82	3-\$179	GHO 6500	9-\$143	GSS 1400	6-\$79	GSS 230	15-\$106	GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403									
T1B	1-\$187	GTA 600	1-\$79	GCM 10MX	3-\$370	GSG 300	1-\$663																												
T1B   Capacity Length of work bench without extension : 1,220 mm Length of work bench with extension : 2,630 mm Weight : 17 / 22 kg GTA 600 (0 601 B22 002)   Capacity Table Height : 602 mm Max. Length Extension : 450 x 520 (D x L) Max. Load Capacity : 60 kg Weight : 6.3 kg GCM 10 MX HEAVY DUTY  1 year warranty  Capacity Power Input : 1,700 W Blade Size : 255 mm Arbour Size : 25.4 mm No-load Speed : 4,800 rpm Max Mitre : 45° L / 52° R Max. Cutting Capacity : 89 x 89 mm Weight : 13.5 kg Spare Parts Carbon Brush 1 619 PA7 057 Armature 1 619 PA7 056 Coil 1 619 PA6 835 GSG 300   Capacity Power Input : 350 W Cutting Capacity : 300 mm No-load Stroke Rate : 3,200 spm Weight : 1.6 kg Spare Parts Carbon Brush 1 607 014 17J Base Plate 2 608 000 908 Switch 2 607 200 286 <tr><td colspan="8">Note: Items marked '' are on Indent Order Basis</td></tr> <tr><td>GHO 10-82</td><td>3-\$179</td><td>GHO 6500</td><td>9-\$143</td><td>GSS 1400</td><td>6-\$79</td><td>GSS 230</td><td>15-\$106</td></tr> <tr><td> GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403 </td></tr>	Note: Items marked '*' are on Indent Order Basis								GHO 10-82	3-\$179	GHO 6500	9-\$143	GSS 1400	6-\$79	GSS 230	15-\$106	GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403																		
Note: Items marked '*' are on Indent Order Basis																																			
GHO 10-82	3-\$179	GHO 6500	9-\$143	GSS 1400	6-\$79	GSS 230	15-\$106																												
GHO 10-82 (*Also Available in 110V) HEAVY DUTY  1 year warranty  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GHO 6500   Capacity Power Input : 650 W No-load Speed : 16,500 rpm Adjustable Chip Thickness : 0 - 2.6 mm Adjustable Rebating Depth : 0 - 2.6 mm Diameter (L x H x W) : 280 x 140 x 158 mm Weight : 2.8 kg Spare Parts Planing Knife 2 609 110 357 V-Belt 2 609 100 410 GSS 1400   Capacity Power Input : 180 W No-load Speed : 12,000 rpm Orbital Rate : 24,000 opm Oscillating Circuit Dia. : 1.6 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Felt 2 609 170 217 Plate 2 609 101 073 Clamp Handle 2 609 111 796 Switch 1 607 200 190 GSS 230   Capacity Power Input : 190 W Orbit Rate : 24,000 opm Sanding Plate : 92 x 182 mm Weight : 1.4 kg Spare Parts Carbon Brush 2 609 120 199 Switch 2 607 200 632 Foam Panel 2 609 100 403																																			

GSS 280AE	9-\$317	GSS 280AVE	1-\$407	GEX 125-1AE	15-\$164	GBS 75A	9-\$278
-----------	---------	------------	---------	-------------	----------	---------	---------

*GSS 280 AE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 330 W
Oscillating Circuit	
Diameter	: 2.4 mm
Orbit Rate	: 11,000 - 22,000 opm
Sanding Plate	: 114 mm
No-load Speed	: 5,500 - 11,000 rpm
Weight	: 2.6 kg

Spare Parts

Sander Plate	2 608 000 168
Switch	2 607 200 260

GSS 280 AVE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 350 W
Oscillating Circuit	
Diameter	: 2.4 mm
Orbit Rate	: 16,000 - 22,000 opm
Sanding Plate	: 114 mm
No-load Speed	: 8,000 - 11,000 rpm
Weight	: 2.75 kg

Spare Parts

Carbon Brush	1 607 014 117
Switch	2 607 200 688
Coil	2 604 220 750
Armature	2 604 011 955

GEX 125-1 AE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 250 W
Oscillating Circuit	
Diameter	: 2.5 mm
Orbit Rate	: 15,000 - 24,000 opm
Sanding Plate	: 125 mm
No-load Speed	: 7,500 - 12,000 rpm
Weight	: 1.3 kg

Spare Parts

Carbon Brush	2 609 120 199
Switch	1 607 200 190
Dust Container	2 609 199 176
Bearing Flange	2 609 100 862
Backing Pad	2 609 100 900

GBS 75 A

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 710 W
No-load Belt Speed	: 300 m/min
Sanding Surface	: 75 x 130 mm
Belt Size	: 75 x 533 mm
Weight	: 3.2 kg

Spare Parts

Carbon Brush	1 607 031 222
Belt	2 604 736 010

GPO 12CE	12-\$198	GBL 800E	9-\$119	GHG 600-3	33-\$115	GHG 630DCE	6-\$161
----------	----------	----------	---------	-----------	----------	------------	---------

GPO 12 CE

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,250 W
Polishing Disc Diameter	: 180 mm
Thread of	
Polishing Spindle	: M14
Tool Length	: 450 mm
No-load Speed	: 750 - 3,000 rpm
Weight	: 2.5 kg

Spare Parts

Carbon Brush	1 607 014 176
Speed Governor	1 607 233 256
Switch	1 607 200 257
Armature	1 619 P09 115

GBL 800 E (Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 800 W
No-load Speed	: 16,000 rpm
Air Volume	: 4.5 m³ /min
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 604 321 129
Speed Governor	1 607 233 348
Switch	2 607 200 637
Armature	1 604 010 A58
Coil	1 604 220 439

GHG 600-3

HEAVY DUTY
6 months warranty



Capacity

Power Input	: 1,800 W
Temperature	: 50 / 400 / 600°C
Air Flow	: 250 / 350 / 500 l/min
Weight	: 0.8 kg

Spare Parts

DC Motor	1 609 202 H59
Connecting Block	1 609 203 HS9
Heating Element	1 609 203 J99

GHG 630 DCE (Also Available in 110V)

HEAVY DUTY
6 months warranty



Capacity

Power Input	: 2,000 W
Temperature	: 50 - 630°C
Air Flow	: 150 / 300 / 500 l/min
Weight	: 0.9 kg

Spare Parts

DC Motor	1 609 202 611
Connecting Block	1 609 203 L51
Heating Element	1 609 203 T99

Note: Items marked '*' are on Indent Order Basis.

GMR 1	3-\$153	GAS 11-21	12-\$1201	GIC 120	1-\$495	GIC 120C	1-\$770
-------	---------	-----------	-----------	---------	---------	----------	---------

GMR 1

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 550 W
Collet	: 6 mm or 1/4"
No-load Speed	: 33,000 rpm
Weight	: 1.5 kg

Spare Parts

Carbon Brush	2 609 120 149
Switch	2 609 120 274
Base Plate	2 610 008 124

GAS 11-21

HEAVY DUTY
1 year warranty



Capacity

Power Input	: 1,100 W
Container Volume	: 21 litre
Air Flow Max.	: 50 l/sec
Volume	: 150 mbar
Hose Diameter	: 35 mm
Weight	: 6.3 kg

Spare Parts

Dust Bag (5 pcs)	2 605 411 150
Filter	1 609 203 A54
Support Frame	1 609 203 A55
Ring	1 609 203 A53
Switch	1 609 203 A33
Container	1 609 203 D28
Hose	2 607 002 149
Suction Pipe	1 609 203 B92
Suction Nozzle	1 609 390 478
Wheel	1 609 203 A66

GIC 120



Capacity

Battery Voltage	: 6.0 V
Display size	: 2.7"
Display Resolution	: 320 x 240 px
Dia. of camera head	: 8.5 mm
Length of camera cable	: 120 cm
Weight	: 0.5 kg

GIC 120 C



Capacity

Battery Voltage	: 10.8 V
Display size	: 3.5"
Display Resolution	: 320 x 240 px
Dia. of camera head	: 8.5 mm
Length of camera cable	: 120 cm
Weight	: 0.6 kg

GLM 30	3-\$108	GLM 40	1-\$149	GLM 50	12-\$174	GLM 50C	1-\$204
--------	---------	--------	---------	--------	----------	---------	---------

GLM 30



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.15 - 30 m
Measuring Accuracy	: ± 2 mm
Measuring Units	: m/cm, ft/inches
Batteries	: 2 x 1.5V LR03 (AAA)
Voltage	: 6 VDC
Weight	: 0.1 kg

GLM 40



Capacity

Working Range	: 0.15 - 40 m
Laser Class	: 2
Measurement Accuracy	: ± 2 mm
Batteries	: 2 x 1.5 V LR03(AAA)
Weight	: 0.09 kg

GLM 50



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.05 - 50 m
Measuring Accuracy	: ± 1.5 mm
Measuring Units	: m/cm, ft/inches
Batteries	: 2 x 1.5V LR03 (AAA)
Voltage	: 6 VDC
Weight	: 0.14 kg

GLM 50 C



Capacity

Laser Diode	: 635 nm, <1mW
Measuring Range	: 0.05 - 50 m
Measuring Accuracy	: ± 1.5 mm
Measuring Units	: m, ft, in
Batteries	: 2 x 1.5 V LR03(AAA)
Memory Capacity	: 30
Weight	: 0.1 kg



GLL 5-40E	1-\$715	GLL 8-40E	1-\$858	GPL 5	3-\$319	GCL 25	3-\$440
GLL 5-40 E		GLL 8-40 E		GPL 5		GCL 25	
							
Capacity Laser Diode : 635 - 650 nm, <1mW Working Range : 15 m Working Range With Receiver : 40 m Leveling Accuracy : ± 0.1 mm / m Self-levelling Range : $\pm 3^\circ$ Batteries : 4 x 1.5 V LR6(AA) Weight : 1.1 kg	Capacity Laser Diode : 635 - 650 nm, <1mW Working Range : 15 m Working Range With Receiver : 40 m Leveling Accuracy : ± 0.1 mm / m Self-levelling Range : $\pm 3^\circ$ Batteries : 4 x 1.5 V LR6(AA) Weight : 1.1 kg	Capacity Laser Diode : 635 nm, <1mW Working Range : 30 m Self-leveling range : $\pm 3^\circ / \pm 5^\circ$ Leveling Accuracy : ± 0.3 mm Batteries : 3 x 1.5 V LR6(AA) Voltage : 5 VDC Weight : 0.25 kg	Capacity Working Range : 10 m Levelling Accuracy : 0.3 mm/m Self-levelling Range : $\pm 4^\circ$ Batteries : 4 x 1.5 V LR06(AA) Tripod Connection : 1/4" & 5/8" Weight : 0.6 kg				
GOL 26D	1-\$330	GOL 32D	3-\$385	GRL 300HVG	1-\$1375	GAM 220	6-\$260
GOL 26 D Set + GR 500 + BT 160		GOL 32 D Set + GR 500 + BT 160		GRL 300 HVG		GAM 220	
							
Capacity Unit of Measure : 360° Magnification : 26x Levelling Accuracy : 1.6 mm / 30 m Working Range : 100 m Clear Objective Aperture : 36 mm Field Of View : 1° 20' Weight : 1.7 kg	Capacity Unit of Measure : 360° Magnification : 32x Levelling Accuracy : 1 mm / 30 m Working Range : 120 m Clear Objective Aperture : 36 mm Field Of View : 1° 30' Weight : 1.7 kg	Capacity Laser Diode : 532 nm, <5mW Working Range With Receiver : 150 m (radius) Leveling Accuracy : ± 0.1 mm / m Batteries : 2 x 1.5V LR20(D) Voltage : 3 VDC Weight : 1.8 kg	Capacity Measurement Range : 0 - 220° Electronics Measurement Accuracy, Angles : $\pm 0.1^\circ$ Electronics Measurement Accuracy, Vials : $\pm 0.05^\circ$ Power Supply : 4 x 1.5V LR6(AAA) Voltage : 6 VDC Weight : 1.2 kg				
GIM 60L	3-\$292	GIM 60	1-\$260	GIM 120	1-\$330	BT 150	1-\$60
GIM 60 L		GIM 60		GIM 120		BT 150	
							
Capacity Measurement Range : 0° - 360° Electronics Measurement Accuracy 0°/90° : $\pm 0.05^\circ$ Electronics Measurement Accuracy at 1°/89° : $\pm 0.2^\circ$ Laser Working Range : 30 m Laser Accuracy : ± 0.5 mm/m Batteries : 1 x 9V (Laser) 2 x 1.5V (AAA) Voltage : 9 VDC Weight : 0.9 kg	Capacity Measurement Range : 0-360° Electronics Measurement Accuracy 0°/90° : $\pm 0.05^\circ$ Electronics Measurement Accuracy at 1°/89° : $\pm 0.2^\circ$ Electronics Measurement Accuracy, Vials : $\pm 0.057^\circ = \pm 1$ mm/m Power Supply : 1 x 9 V 6LR61 Voltage : 9 VDC Weight : 0.7 kg	Capacity Measurement Range : 0-360° (4x90°) Electronics Measurement Accuracy 0°/90° : $\pm 0.05^\circ$ Electronics Measurement Accuracy at 1°/89° : $\pm 0.2^\circ$ Electronics Measurement Accuracy, Vials : $\pm 0.057^\circ = \pm 1$ mm/m Power Supply : 1 x 1.5 V LR6(AA) Voltage : 9 VDC Weight : 1.4 kg	Capacity Work Height : 52 - 147 cm Tripod Thread : 1/4" Weight : 1.3 kg For DLE, GLM, GLL & GPL category				
BT 150 5/8	1-\$154	BT 160	1-\$209	BT 170HD	1-\$264	BT 300HD	
BT 150 (5/8)		BT 160		BT 170 HD		*BT 300 HD	
							
Capacity Work Height : 52 - 154 cm Tripod Thread : 5/8" Weight : 1.1 kg	Capacity Work Height : 97 - 160 cm Tripod Thread : 5/8" x 11 Weight : 4.1 kg For GRL & GOL category	Capacity Work Height : 107 - 165 cm Tripod Thread : 5/8" x 11 Weight : 5.5 kg For GRL & GOL category	Capacity Work Height : 122 - 295 cm Tripod Thread : 1/4" Weight : 7.5 kg For GCL, GLL & GLM category				

LR 1	1-\$99	LR 2	1-\$291	R 60	1-\$101	BT 350	1-\$154
LR 1		LR 2		R 60		*BT 350	
							
Capacity Working Range : 150 m Measurement Accuracy, Fine : 1 mm Measurement Accuracy, Rough : 3 Power Supply : 1 x 9 V 6LR61 Voltage : 9 VDC Weight : 0.36 kg For GRL category		Capacity Working Range : 5 - 80 m Measurement Accuracy, Fine : 1 mm Measurement Accuracy, Rough : 3 Power Supply : 1 x 9 V 6LR61 Voltage : 9 VDC Weight : 0.2 kg For GLL category		Capacity Comes complete with : Protective Case, Charger, Manufacturer's Certificate Measuring Range : 0 - 360° Accuracy of inclinometer: ± 0.2° Audible Signals : at 0° and 90° Dimensions (L/W/H) : 610 x 58 x 30 mm For GLM 80		Capacity Max Height : 140 - 350 cm Weight : 2.5 kg For GLL & GPL category	
GR 240	1-\$121	GR 500	1-\$121	BM 1	1-\$60	AQT 33-11	6-\$135
*GR 240		GR 500		BM 1		AQT 33-11	
							
Capacity Working Range : 2 m Weight : 1.3 kg For GOL 26 D		Capacity Length : 500 cm Unit Of Measure : m / cm Weight : 1.98 kg For GOL 26 D		Capacity Tripod Thread : 1/4" Weight : 0.5 kg For GLL, GPL & GLM category		Capacity Motor Power : 1,300 W Pressure : 110 bar Flow Rate : 330 l/h Max. Temp : 40°C Weight : 4.5 kg Spare Parts Trigger : F 016 F04 796 Hose (6m) : F 016 800 360 Extension Hose (6m) : F 016 800 361 Lance : F 016 F04 462 3 in 1 Nozzle : F 016 800 352	

Note: Items marked '*' are on Indent Order Basis.

AQUA 120	1-\$164	AQT 35-12 PLUS	1-\$237	UNI AQUA 125	1-\$226	UNI AQUA 130	1-\$275
EasyAquatak 120		AQT 35-12 PLUS		UniversalAquatak 125		UniversalAquatak 130	
							
Capacity Motor Power : 1,500 W Pressure : 120 bar Flow Rate : 350 l/h Max. Temp : 40°C Weight : 5 kg Spare Parts Handle : F 016 F04 796 Hose : F 016 800 360 Lance : F 016 F04 462		Capacity Motor Power : 1,500 W Pressure : 120 bar Flow Rate : 350 l/h Max. Temp : 40°C Weight : 5.53 kg Spare Parts Trigger : F 016 F04 464 Hose (6m) : F 016 800 360 Extension Hose (6m) : F 016 800 361 Lance : F 016 F04 462 3 in 1 Nozzle : F 016 800 352		Capacity Motor Output : 1,500 W Pressure : 125 bar Flow Rate : 360 l/h Max. Temp : 40°C Weight : 6.8 kg		Capacity Motor Output : 1,700 W Pressure : 130 bar Flow Rate : 380 l/h Max. Temp : 40°C Weight : 7.8 kg	
AQT 37-13 PLUS	3-\$286	AQT 45-14X	1-\$522	ADV AQUA 160	1-\$644	GHP 5-13	3-\$721
AQT 37-13 PLUS		AQT 45-14 X		AdvancedAquatak 160		GHP 5-13 C	
							
Capacity Motor Output : 1,700 W Pressure : 130 bar Flow Rate : 370 l/h Max. Temp : 40°C Weight : 6.53 kg Spare Parts Trigger : F 016 F04 464 Hose (6m) : F 016 800 360 Extension Hose (6m) : F 016 800 361 Lance : F 016 F04 462 3 in 1 Nozzle : F 016 800 352		Capacity Motor Output : 2,100 W Pressure : 140 bar Flow Rate : 450 l/h Max. Temp : 40°C Weight : 17.6 kg Spare Parts Trigger : F 016 F04 633 Hose (8m) : F 016 F04 667 Lance : F 016 F04 462 3 in 1 Nozzle : F 016 800 352		Capacity Motor Power : 2,600 W Pressure : 160 bar Flow Rate : 570 l/h Max. Temp : 40°C Weight : 23.4 kg		Capacity Motor Power : 2,300 W Maximum Pressure : 140 Bar Maximum Flow Rate : 520 l/h Hose Length : 8 m Weight : 16.5 kg Spare Parts Handle : F 016 L72 097 Jet Pipe : F 016 L72 098 Hose (9m) : F 016 F04 523	

GHP 5-55	6-\$741	GHP 5-65	1-\$802	GHP 5-75	1-\$989	GHP 6-14	6-\$990
GHP 5-55  Capacity Motor Power : 2,200 W Maximum Pressure : 130 Bar Maximum Flow Rate : 520 l/h Hose Length : 8 m Weight : 19 kg Spare Parts Handle F 016 L73 068 Jet Pipe F 016 L73 069	GHP 5-65  Capacity Motor Power : 2,400 W Maximum Pressure : 160 Bar Maximum Flow Rate : 520 l/h Hose Length : 10 m Weight : 24 kg Spare Parts Handle F 016 L73 068	GHP 5-75  Capacity Motor Power : 2,600 W Maximum Pressure : 185 Bar Maximum Flow Rate : 570 l/h Rated Pressure : 140 Bar Weight : 26.7 kg Spare Parts Handle F 016 L73 068	GHP 6-14  Capacity Motor Power : 2,600 W Maximum Pressure : 150 Bar Maximum Flow Rate : 650 l/h Hose Length : 10 m Weight : 25.6 kg Spare Parts Handle F 016 L72 097 Jet Pipe F 016 L72 179 Hose (9m) F 016 F04 523				
GBH 2-23RE	12-\$201	GBH 2-26RE	3-\$238	GBH 5-40D	1-\$682	GBH 8-45D	1-\$1114
GBH 2-23 RE (Also Available in 110V)  Capacity Power Input : 650 W In Concrete : 23 mm In Steel : 13 mm In Wood : 30 mm No-load Speed : 0 - 1,000 rpm Impact Rate : 0 - 4,400 bpm Weight : 2.3 kg Spare Parts Carbon Brush 1 617 000 525 Switch 1 617 200 532 Armature 1 617 000 561 Coil 2 604 220 693	GBH 2-26 RE (Also Available in 110V)  Capacity Power Input : 800 W In Concrete : 4 - 26 mm In Steel : Up to 13 mm In Wood : Up to 30 mm No-load Speed : 0 - 900 rpm Impact Rate : 0 - 4,400 bpm Weight : 2.7 kg Spare Parts Carbon Brush 1 617 000 515 Switch 1 617 200 532 Armature 1 614 P10 005 Coil 1 614 270 127	GBH 5-40 D (Also Available in 110V)  Capacity Power Input : 1,100 W Rate Speed : 170 - 340 rpm Impact Energy : 8.5 J Chisel Positions : 12 Impact Rate : 1,500 - 2,900 bpm Weight : 6.8 kg Spare Parts Carbon Brush 1 617 014 138 Hammer Piston 1 619 P10 765 Armature 1 619 P10 769 Coil 1 619 P08 323	*GBH 8-45 D (Also Available in 110V)  Capacity Power Input : 1,500 W Impact Energy : 12.5 J No-load Speed : 0 - 305 rpm Impact Rate : 1,380 - 2,720 bpm Weight : 8.2 kg Spare Parts Carbon Brush 1 617 000 A50 Armature 1 614 010 267 Coil 1 614 220 124				
GBL 800E	3-\$143	GCO 2000	3-\$248	GDM 13-34	3-\$141	GDS 18E	6-\$534
GBL 800 E (Also Available in 110V)  Capacity Power Input : 800 W No-load Speed : 16,000 rpm Air Volume : 4.5 m³/min Weight : 1.8 kg Spare Parts Carbon Brush 1 604 321 129 Speed Governor 1 607 233 348 Switch 2 607 200 637 Armature 1 604 010 A58 Coil 1 604 220 439	GCO 2000 (Available in 110V Only)  Capacity Power Input : 2,000 W Blade Diameter : 355 mm Max. Cutting Capacities at 90° : 120 mm No-load Speed : 3,500 rpm Weight : 15.8 kg Spare Parts Carbon Brush 1 607 014 171 Armature 1 609 B03 566 Coil 1 609 B00 129 Switch 1 619 P03 844	GDM 13-34 (*Also Available in 110V)  Capacity Power Input : 1,300 W Blade Diameter : 110 mm Max. Cutting Depth : 34 mm Base Plate : 100 X 190 mm No-load Speed : 12,000 rpm Weight : 2.8 kg Spare Parts Carbon Brush 1 619 P06 304 Armature 1 619 P06 303 Screw 1 619 P00 278 Inner Flange 1 619 P07 057 Outer Flange 1 619 P06 295	*GDS 18 E (Also Available in 110V)  Capacity Power Input : 500 W Bolts KW : M6 - M18 Torque : 70 - 250 Nm No-load Speed : 500 - 1,300 rpm Weight : 3.3 kg Spare Parts Carbon Brush 1 619 PA2 438 Tool Holding Fixture 1 619 PA2 453 Armature 1 619 PA2 436 Coil 1 619 PA2 435				
GGS 28LC	27-\$326	GHG 630DCE	18-\$174	GHO 10-82	3-\$198	GKS 7000	1-\$181
*GGS 28 LC (Also Available in 110V)  Capacity Power Input : 650 W Max.Collet Diameter : 8 mm No-load Speed : 28,000 rpm Voltage : 230 / 240 V Frequency : 50 / 60 Hz Weight : 1.6 kg Spare Parts Carbon Brush 1 607 014 176 Armature 3 607 030 476 Switch 1 607 200 199 Coil 3 607 030 475	GHG 630 DCE (Also Available in 110V)  Capacity Power Input : 2,000 W Temperature : 50 - 630°C Air Flow : 150 / 300 / 500 l/min Weight : 0.9 kg Spare Parts DC Motor 1 609 202 611 Connecting Block 1 609 203 L51 Heating Element 1 609 203 T99	GHO 10-82 (*Also Available in 110V)  Capacity Power Input : 710 W Planing Width : 82 mm Planing Depth : 0 - 3.0 mm No-load Speed : 16,500 rpm Weight : 2.5 kg Spare Parts Carbon Brush 1 607 031 222 Planing Knife 2 609 110 357 V-Belt 2 609 100 410	GKS 7000  Capacity Power Input : 1,100 W No-load Speed : 5,200 rpm Saw Blade Range : 187 - 190 mm Max. Cutting depth 90° / 45° : 67 / 49 mm Weight : 3.6 kg Spare Parts Carbon Brush 1 619 P10 063 Armature 1 619 P10 062 Coil 1 619 P08 314 Switch 1 619 P09 971				

GSA 1100E	6-\$231	GSB 10RE	24-\$94	GSB 16RE	9-\$132	GSB 21-2RE	1-\$363
-----------	---------	----------	---------	----------	---------	------------	---------

GSA 1100 E (*Also Available in 110V)

HEAVY DUTY
1 year warranty



Capacity	
Power Input	: 1,100 W
Cutting depth: In Wood	: 230 mm
In Metal	: 20 mm
No-load Stroke Rate	: 0 - 2,700 spm
Weight	: 3.6 kg

Spare Parts

Carbon Brush	2 610 956 917
Screw	1 619 P05 408
Blade Holder	1 619 PA4 168
Supporting Foot	2 610 956 898

GSB 10 RE (Also Available in 110V)



Capacity	
Power Input	: 500 W
In Masonry	: 10 mm
In Steel	: 8 mm
In Wood	: 20 mm
No-load Speed	: 0 - 2,600 rpm
Weight	: 1.5 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	2 607 200 623
Armature	2 609 120 232
Coil	2 604 220 718
Chuck	2 608 571 078

GSB 16 RE (Also Available in 110V)



Capacity	
Power Input	: 750 W
In Concrete	: 16 mm
In Steel	: 12 mm
In Wood (hard)	: 25 mm
No-load Speed	: 0 - 3,250 rpm
Impact Rate	: 0 - 48,500 bpm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	2 610 391 290
Switch	1 607 200 270
Chuck	2 608 572 253

*GSB 21-2 RCT



Capacity	
Power Input	: 1,300 W
In Concrete	: 22 / 13 mm
In Steel	: 16 / 10 mm
In Wood (hard)	: 40 / 25 mm
No-load Speed	: 0 - 900 / 3,000 rpm
Max. Torque	: 43 - 20.5 Nm
Weight	: 2.8 kg

Spare Parts

Carbon Brush	1 617 000 525
Switch	2 607 200 679

GSB 5X PLUS

9-\$253

GSB 5CE

1-\$671

GST 65

6-\$105

GWS 8-100Z

114-\$110

GSB 5X Plus (Also Available in 110V)



Capacity	
Power Input	: 1,025 W
Impact rate	: 2,750 bpm
Impact Energy	: 6.8 J
Tool holder	: Hex (17 mm)
Voltage	: 240 V
Frequency	: 50 / 60 Hz
Weight	: 5.5 kg

Spare Parts

Carbon Brush	1 617 014 138
Hammer Piston	1 619 P09 703
Switch	1 619 P09 019
Armature	1 619 P09 697
Coil	1 619 P08 302

GSB 5 CE (*Also Available in 110V)



Capacity	
Power Input	: 1,150 W
Impact rate	: 1,300 - 2,900 bpm
Impact Force	: 2 - 13 J
Weight	: 6.2 kg

Spare Parts

Carbon Brush	1 617 014 138
Armature	1 614 011 098
Stopping Device	1 612 300 036
Indexing Disk	1 610 290 076
Hammer Piston	1 617 000 A00

GST 65 (Also Available in 110V) / GST 65 E



Capacity	
Power Input	: 400 W
In Wood	: 65 mm
In Steel	: 3 mm
No-load Stroke Rate	
(GST 65)	: 3,100 spm
(GST 65 E)	: 500 - 3,100 spm
Weight	: 1.7 kg

Spare Parts

Carbon Brush	2 604 321 919
Switch	2 607 200 637
Base Plate	2 601 016 012
Retaining Bracket	2 608 135 901

GST 25 M (Also Available in 110V)



Capacity	
Power Input	: 670 W
In Wood	: 80 mm
In Aluminium	: 25 mm
In Steel	: 15 mm
No-load Stroke Rate	: 500 - 2,600 rpm
Weight	: 2.7 kg

Spare Parts

Carbon Brush	1 607 031 228
Base Plate	1 619 P07 199
Roller Level	1 619 P07 318

GWS 6-100

57-\$80

GWS 8-100Z

114-\$110

GWS 12-125P

45-\$155

GWS 12-125

1-\$150

GWS 6-100 (Available in 110V only)



Capacity	
Power Input	: 670 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.8 kg

Spare Parts

Carbon Brush	1 607 031 223
Armature	1 604 010 626
Switch	1 607 200 179
Coil	1 604 220 328

GWS 8-100 Z (Also Available in 110V)



Capacity	
Power Input	: 800 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.9 kg

Spare Parts

Carbon Brush	1 607 014 176
Switch	1 619 P09 841
Armature	1 604 010 635 (110V)
Coil	1 604 220 306 (110V)

GWS 12-125 CI (Also Available in 110V)



Capacity	
Power Input	: 1,200 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.3 kg

Spare Parts

Carbon Brush	1 607 000 V37
Armature	1 607 000 V33
Bearing Flange	1 607 000 448
Governor	1 607 233 472

GWS 12-125 CI (Also Available in 110V)



Capacity	
Power Input	: 1,200 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 75 mm
Weight	: 2.3 kg

Spare Parts

Carbon Brush	1 607 000 V37
Armature	1 607 000 V33
Bearing Flange	1 607 000 448
Governor	1 607 233 472

GWS 20-180

12-\$218

GWS 20-230

1-\$291

110V

110V

*GWS 20-180 (Also Available in 110V)



Capacity	
Power Input	: 2,000 W
Grinding / Cutting	
Disc Diameter	: 180 mm
Wire Cup Brush Diameter	: 100 mm
No-load Speed	: 8,500 rpm
Weight	: 4.2 kg

Spare Parts

Carbon Brush	1 607 014 176
Armature	1 604 011 252
Coil	1 604 220 380
Switch	1 607 000 967

GWS 20-230



Capacity	
Power Input	: 2,000 W
Grinding / Cutting	
Disc Diameter	: 230 mm
Wire Cup Brush Diameter	: 100 mm
No-load Speed	: 6,500 rpm
Weight	: 4.2 kg

Spare Parts

Carbon Brush	1 607 014 176
Armature	1 604 011 252
Coil	1 604 220 380
Switch	1 607 000 967

2200V

OFFER

2200V

OFFER

110V

2200V

OFFER

110V

2200V

OFFER

110V

2200V

OFFER

110V

2200V

OFFER

DWM 40L	6-\$242	GIM 60L	3-\$292	DNM 60L	21-\$242	DNM 120L	3-\$303
---------	---------	---------	---------	---------	----------	----------	---------

DWM 40 L  Capacity Measurement Range : 0 - 220° Electronics Measurement Accuracy, Angles : ±0.1° = ±1.8 mm/m Electronics Measurement Accuracy, Vials : ±0.057° = ±1 mm/m Power Supply : 4 x 1.5V LR6(AA) Voltage : 6 VDC Weight : 1.1 kg	GIM 60 L  Capacity Measurement Range : 0° - 360° Electronics Measurement Accuracy 0°/90° : ±0.05° Electronics Measurement Accuracy at 1°/89° : ±0.2° Laser Working Range : 30 m Laser Accuracy : ±0.5 mm/m Batteries : 1 x 9V(Laser) 2 x 1.5V (AAA) Voltage : 9 VDC Weight : 0.9 kg	DNM 60 L  Capacity Measurement Range : 0-360° Electronics Measurement Accuracy 0°/90° : ±0.05° Electronics Measurement Accuracy at 1°/89° : ±0.2° Electronics Measurement Accuracy, Vials : ±0.057° = ±1mm/m Power Supply : 1 x 9V 6LR61 Voltage : 9 VDC Weight : 0.7 kg	DNM 120 L  Capacity Measurement Range : 0-360°(4x90°) Electronics Measurement Accuracy 0° /90° : ±0.05° Electronics Measurement Accuracy at 1° /89° : ±0.2° Electronics Measurement Accuracy, Vials : ±0.057°=±1mm/m Power Supply : 1 x 9V 6LR61 Voltage : 9 VDC Weight : 1.3 kg
--	---	---	--

DMF 10ZOOM	12-\$116	GHG 600CE	3-\$165	POF 1100AE	6-\$171	AKE 40-19S	6-\$292
------------	----------	-----------	---------	------------	---------	------------	---------

DMF 10 ZOOM

Capacity	
Max. Measuring Depth	
Ferrous Metals	: 100 mm
Non-Ferrous Metals	: 80 mm
Accuracy	: ± 5 mm
Copper Conductors	: 50 mm
Wood	: 20 mm
Weight	: 240 g

Rated power input:	2.000 W
Weight:	0,7 kg
Length:	340 mm
Height:	105 mm
Working temperature:	100 – 600 °C
Airflow:	350 – 550 l/min
Control, airflow:	2-stage

Technical data	
Power input	1.200 W
Power output	650 W
Toolholder (supplied)	6 mm
No-load speed	11.000 – 28.000 rpm
Maximum router cage stroke	55 mm
Machine weight	3.4 kg

AKE 40-19 S

Capacity	
Power Input	: 1,900 W
Blade Length	: 400 mm
Idling Cutting Speed	: 12 m/ sec
Weight	: 4.5 kg

S41 SHARPENER	3-\$62	GLL 3-50	3-\$440	ART 23COMBITRIM	6-\$108	PPS23	3-\$81
---------------	--------	----------	---------	-----------------	---------	-------	--------



Attributes	SDS
Brand	Bosch
Capacity mm	2.5 - 10
Minimum Order Quantity	1
Order Quantity Multiple	1
Part Description	Drill Sharpener
Standard Pack Quantity	1

GLL 3-50



NEW



Capacity

Laser Diode : 635 nm / <1mW

Working Range : Line 10 m,
Plumb Point 3 m

Working Range With Receiver LR : 50 m

Batteries : 4 x 1.5 V LR6(AA)

Protection : IP 54

Weight : 0.6 kg

ART 23 COMBITRIM





Capacity

Motor Power : 400 W

Cutting Diameter : 230 mm

Line Feed : "Pro-Tap"

Line Thickness : 1.6 mm X 8 m

Extra Line : Diameter 2.4 mm

Line Capacity : 8 m

Weight : 2.7 kg



Capacity

Power Input : 190 W

Orbit Rate : 24,000 opm

Sanding Plate : 92 x 182 mm


Weight : 1.4 kg

GAH 500DSR	6-\$500	GBH 4DFE	3-\$506	GSH 388	15-\$310	PSB 400	9-\$59
------------	---------	----------	---------	---------	----------	---------	--------

GAH 500 DSR  Capacity Power Input : 750 W In Concrete : 24 mm In Steel : 13 mm In Wood : 30 mm No-load Speed : 0-870 rpm Impact Rate : 0-4,850 bpm Weight : 3.3 kg	GBH 4 DFE  Capacity Power Input : 750 W Max. Bit Diameter : 30 mm Max. Core Bit Diameter : 80 mm No-load Speed : 0-650 rpm Impact Rate : 0-3,900 bpm Impact Force : 0-3.5 J Weight : 3.9 kg	GSH 388 / GSH 388 X*  Capacity 17 mm Hex Shank* Power Input : 1,050 W Impact Rate : 2,800 bpm Impact Force : 8 - 10 J Weight : 4.9 kg	PSB 400  Capacity Power Input : 450 W In Steel : 10 mm In Aluminium : 10 mm In Wood : 25 mm No-load Speed : 0 - 2,600 rpm Weight : 1.3 kg
---	--	---	---

GSR ProDrive (3.6 V)

NEW



Capacity

Max. Screw Dia.	: 5 mm
Max. Torque	: 7 Nm
No-load Speed	: 0-250 rpm
Battery Voltage	: 3.6 V / 1.3 Ah
Weight	: 0.5 kg

GSR 6-25 TE



Capacity

Power Input	: 701 W
Self-Tapping Screws	: Up to 6 mm diameter
No-load Speed	: 0-2,500 rpm
Weight	: 1.4 kg



Specification overview

Rated power input	400 W
No-load speed	0 - 1300 rpm
Power output	170 W
Weight without cable	1.7 kg
Rated speed	750 rpm
Rated torque	2,2 Nm
Max. torque	5,5 Nm

GSB 14.4-2-LI Cordless Impact Drill



Capacity

Drilling Dia.:	In Steel	: 10 mm
	In Wood	: 25 mm
	In Masonary	: 10 mm
Max. Torque		
(Hard / Soft joint)		: 38 / 16 Nm
No-load Speed		: 0 - 500 / 1,400 rpm
Battery Voltage		: 14.4 V / 2.0 Ah
Weight		: 1.4 kg

Bosch 110V Power Tools

Model	Description
GBH 2-23 RE	Rotary Hammer SDS Plus
GBH 2-26 RE	Rotary Hammer SDS Plus
GBH 5-40 D	Rotary Hammer SDS Max
*GBH 8-45 D	Rotary Hammer SDS Max
GBL 800 E	Blower
GCO 2000	Cut Off Saw
*GDM 13-34	Marble Cutter
GDS 18 E	Impact Wrench
GGs 28 LC	Straight Grinder
GHG 630 DCE	Heat Gun
*GHO 10-82	Planer
*GSA 1100 E	Sabre Saw
GSB 10 RE	Impact Drill, 10 mm Chuck
GSB 16 RE	Impact Drill, 13 mm Chuck
*GSB 21-2 RE	Impact Drill, 13 mm Chuck
GSH 5 X Plus	Breaker (17 mm Hex Shank)
*GSH 5 CE	Breaker SDS Max
GST 65	Jigsaw
GWS 6-100	4" Grinder (100+6)
GWS 8-100 Z	4" Grinder Paddle / DMS
*GWS 11-125	5" Grinder
*GWS 11-125 P	5" Grinder Paddle / DMS
GWS 20-180	7" Grinder
GWS 22-230 H	9" Grinder

Note: Items marked '*' are on **Indent Order Basis**.

Carbon Brush Guidelines

Effective 1st January 2017

Model No.			Carbon Brush Part No.	Price (\$)
GAS 11-21			1 609 203 A00	15.00
GBH 2-20 RE	GHO 10-82	GBS 75 A	1 607 031 222 <i>(replacing 2 604 321 905)</i>	5.50
GBH 2-24 RE / DRE	GBH 2-23 RE	GBH 2-26 RE / DFR	1 617 000 525	8.00
GBH 3-28 DFR	GBH 2-23 REA	GSB 20-2 RE (New)		
GBH 2-26 RE	GBH 2-26 DRE	GBH 2-26 E	1 607 014 116 <i>(replacing 1 607 031 226)</i>	6.00
GBH 36 V-LI			1 617 014 142	9.00
GBH 4-32 DFR			1 614 321 079	12.00
GBH 8-45 D		GSH 9 VC	1 617 000 A50	16.00 [#]
GBH 7-45 DE	GBH 7-46 DE		1 617 014 135	15.90
GBH 24 VRE	GBH 24 V		1 617 014 131	5.50
GBH 2 SR	GBH 2-20 SRE		1 607 031 230 <i>(replacing 1 617 014 127)</i>	6.00
GBH 4 DSC	GBH 4 DFE		1 617 014 124	8.00
GBH 3-28 E			1 617 014 137	12.50
GBH 5 DCE	GSH 5 CE	GSH 4	1 607 031 225 <i>(replacing 1 617 014 122)</i>	12.50
GBL 800	GBL 800 E		1 604 321 129	8.00
GBM 16-2 RE (Old)	GBM 23-2 RE	GGs 6 S	3 607 014 012	24.00
GCM 10 M	GCO 14-24 J / 2000	GCD 12 JL	1 607 014 171 <i>(replacing 1 607 014 154)</i>	10.00
GCM 10 S			1 609 203 L02	15.00
GCM 10 MX			1 619 PA7 057	26.50
GCM 10			1 619 P04 451	20.00
GDM 121			1 619 PA4 025	3.10
GDM 13-34			1 619 P06 304	5.00
GDS 18 E			1 619 PA2 438	11.00
GDR 14.4 V-LI	GDX 18 V-LI	GDS 18 V-LI	2 609 199 169	9.50
GEX 125-1 AE	GSS 230		2 609 120 199	9.65
GGs 28 C / LC	GPO 12 CE		1 607 014 176 <i>(replacing 1 607 014 172)</i>	7.00
GGs 3000 L	GWS 6-100	GWS 060	1 607 031 223 <i>(replacing 1 607 014 145)</i>	2.80
GGs 5000 L	GWS 750-100	GWS 8-100 C / CE		
GKS 7000			1 619 P10 063	6.00
GKS 190 (New)			1 619 P06 346	9.90
GKS 190 (Old)			1 619 P01 317	8.20
GMR 1			2 609 120 149	9.70
GSA 1100 E	GSA 1300 PCE		2 610 956 917	5.00
GSB 16 RE (Old) (700W)			2 604 337 059 C/W B. Holder	9.00
GSB 16 RE (New) (750W)	GBM 10 RE / 13 RE	GSB 10 RE / 13 RE	2 610 391 290 <i>(replacing 2 604 321 917)</i>	6.50 [#]
GSB 16 RE (Oldest)	GBM 13 HRE	GSB 20-2	1 607 031 222 <i>(replacing 2 604 321 905)</i>	5.50
GSG 300			1 607 014 17J <i>(replacing 2 604 320 911)</i>	8.00
GSH 11 E	GSH 16-30		1 617 014 126	10.00
GSH 388 / X	GBH 5-38 D	GSH 5	1 617 014 138	10.00 [#]
GSH 5 X	GBH 5-40 D	GSH 5 CE		
GSR 36 V-LI			2 607 034 904	11.00
GST 80 PBE	GGs 27	GGs 27 L	1 607 031 228 <i>(replacing 2 604 320 912)</i>	6.20
GST 25 M	GST 60 PBE	GNA 2.0		
GST 54			1 607 031 239 <i>(replacing 2 604 321 904)</i>	6.20
GST 65			2 604 321 919	6.00
GWS 7-100	GWS 7-100 T / ET	GPO 250 CE	1 619 P02 870	2.80
GWS 8-100 Z	GWS 12-125 CI	GWS 11-125 CI	1 607 014 176 <i>(replacing 1 607 014 172)</i>	7.00
GWS 12-125 CI	GWS 13-125 CI	GWS 15-150 CI	1 607 000 V37	7.50 [#]
GWS 20-180	GWS 20-230	GCO 200	1 607 014 171 <i>(replacing 1 607 014 154)</i>	10.00
			DREMEL	
3000	300		2 615 298 790	6.30

[#] Price reduction.
Prices correct at time of printing and Bosch reserves the right to amend at its sole discretion without prior notice.



WARRANTY

This serves to inform all Bosch Power Tools are guaranteed against manufacturing defects for a period of 6 months from the registered date of purchase **(Bosch Measuring Tools, GHP Range High Pressure Cleaners and HEAVY DUTY Range Power Tools are entitled to 1 Year Warranty, except Bosch Hot Air Guns, Bosch Batteries and Bosch Chargers which are entitled to 6 months warranty. Terms and Conditions apply).**

This guarantee, however, does not cover damage caused by accident, misuse, unauthorised repairs, tampering, additions and modifications made to the tool in any manner.

保证

谨此通知阁下有关所有博世电动工具享有为期六个月之生产损坏保证，有效期从购买登记日算起。(博世电子测量器，博世 GHP 高压清洗机系列及博世 HEAVY DUTY 系列享有1年保证，除了博世热风机，博世电池和博世充电器享有6个月保证。附带条规)。

无论如何，上述保证并不包括有关电动工具因意外，错误使用、非授权维修、附加及修换或其他方式所造成的损坏及故障。



For further enquiries, please call **1 800 333 8 333**
Mon - Fri 8.30am - 5.30pm
www.bosch-pt.com.sg

Key To Symbols

	Double Insulation		Electronic Control		Rotation Stop		Constant Electronic		Forward / Reverse Rotation		Overload Clutch		Distortion-resistant protective guard
	Spindle Lock		Saw Blade Pendulum Action		Dust Extraction		Bosch SDS System		SDS-Plus Tool Holder		Slim Grip		Lithium-Ion Technology
	SDS-Max Tool Holder		SDS-Plus Quick Exchange System		SDS-Max Quick Exchange System		SDS-Clic Quick Clamping System		Velcro Fastening		Inox For a perfect finish on stainless steel		Easy Fit
	Turbo Blower		Removable Cable		Torque Control		Restart Protection		Fine Depth Adjustment		Direct Cooling and Additional Air Inlets		Kick Back Stop
	Woodrazor		Turbo Power		Vibration Control		Auto-Lock		Laser Class 2		Laser Class 3R		

While all care has been taken to ensure that the information contained in this publication is correct, no responsibility can be accepted for any inaccuracy. The Company reserves the right to alter or modify the information contained herein at any time in light of technical or other developments. Technical specification are valid under normal operating condition only. The company does not accept any responsibility for any misuse of the product and cannot be held liable for consequential damage.

**All
Tools**

**FULL
WARRANTY***



BOSCH



* For tools with 6-months warranty

full warranty applies for purchases from 1st July 2017 onwards.

Terms and Conditions apply. Bosch reserves the right to amend the terms and conditions or withdraw the promotion at its sole discretion without prior notice.



BOSCH

Invented for life

Robert Bosch (SEA) Pte Ltd

11 Bishan Street 21
Singapore 573943
Tel: (65) 6571 2772
Fax: (65) 6571 2784

For further enquiries, please contact

榮源五金私人有限公司



ENG GUAN HARDWARE PTE. LTD.

Blk 19, Pioneer Road North #01-103, Singapore 628466
Tel: 6 2640833 (5 Lines), 6 2643381 Fax: 62610690
GST Reg No: M2-0057184-3 A/C Fax: 6 2660211
Co. Reg. No: 198204304W

Authorised Service Centre:

Powerwell Service Centre Pte Ltd

4012 Ang Mo Kio Ave 10,
#01-02 Techplace 1, Singapore 569628
Tel: (65) 6452 1770
Fax: (65) 6452 1760
Email: ask@powerwellsc.com